

## Achtergrond literatuur

Onderstaand volgt een lijst met relevante achtergrond literatuur op alfabetische volgorde van de achternaam van de auteur. De lijst is samengesteld door M.M. Klaver, voormalig neuroloog en SOLK-deskundige. De artikelen zijn gerangschikt in enkele rubrieken:

- Boeken
- Artikelen
  - Pijn
  - Emotie
  - Gevoel-Interoceptie-Insula
  - Stress, HPA-as
  - SOLK

### Boeken

Arciniegas DB, Beresford TP. Neuropsychiatry. An introductory approach. Cambridge: Cambridge University Press;2001. ISBN 0521643112.

Bijl Dick. Het Pillenprobleem. Amsterdam University Press;2018. ISBN 9789462985322

Bosch Ingeborg. Illusies. Uitgeverij Veen;2006. ISBN 902040542x.

Bruin de Saskia. Weg van de pijn. De mind-body connectie herstellen om onbegrepen pijnklachten op te lossen. Ankh-Hermes, 2018. ISBN 9789020214895

Burken van P. Gezondheidspsychologie voor de fysiotherapeut. Houten:Bohn, Stafleu, van Loghum;2010. ISBN 9789031381203.

Capel Pierre. Het emotionele DNA. Gevoelens bestaan niet, zij ontstaan. K.PI Education 2018 ISBN 9789090309637.

Cranenburgh van B. Neurowetenschappen, een overzicht. Maarsen:Elsevier/de Tijdstroom;1998. ISBN 9035217144.

Damasio AR. De vergissing van Descartes. Gevoel, verstand en het menselijk brein. Amsterdam.Wereldbibliotheek;1994. ISBN 902841701X/CIP.

Damasio AR. The feeling of what happens. Body,emotion and the making of consciousness. William Heinemann Guildford;2000. ISBN 0434007730.

Ik voel dus ik ben. Wereldbibliotheek;2003.

Damasio AR.Het gelijk van Spinoza. Vreugde, verdriet en het voelende brein. Amsterdam:Wereldbibliotheek;2003. ISBN 9028420029.

Damasio AR. De vreemde orde der dingen. Wereldbibliotheek;2019. ISBN 9789028427693.

Derks L, Hollander J. Essenties van NLP. 8e druk. Utrecht:Servire;2004. ISBN 9021598213.

Dijksterhuis AP. Het slimme onbewuste. Denken met gevoel. 2007. Uitgeverij Bert Bakker Amsterdam. ISBN 9789035129689.

Emery FE. Systems thinking. 1969 Penguin Books. ISBN 0140800719.

Feltz van der-Cornelis C, van der Horst H. Handboek Somatisatie. Lichamelijk onverklaarde klachten in de eerste en tweede lijn. Utrecht: De Tijdstroom ;2003. ISBN 9058980367

Feltz van der-Cornelis C. Het Stressbeeld. Amsterdam: Uitgeverij Nieuwezijds;2015. ISBN 9789057124051.

Frijda NH. De emoties. Amsterdam. Uitgeverij Bert Bakker;2005. ISBN 9035127277.

Galavazi Juriaan, Van klacht naar kans. Verbeter je leven door naar je lijf te luisteren. Kosmos Uitgevers, 2019. 9789021574219

Gazzaniga MS, Ivry RB, Mangun GR. Cognitive Neuroscience. The biology of the mind. 2e ed. New York. Norton and Company;2002. ISBN 0393977773.

Geloven van M. Alle therapeuten gehad? Amsterdam: Uitgeverij SWP;2015. ISBN 9789088505140.

Gendlin ET. Focussing. Bantam Books;1981. ISBN 0553145266.

Glassman W.E., Hada M. Approaches to psychology 4<sup>th</sup> ed. Open University Press, Maidenhead; 2006. ISBN 0335213480

Griez E, Honig A, van Os J, Verhey F. *Beknopte Psychiatrie*. Assen: van Gorcum;2003. ISBN 902323362X

Grundmeijer HGLM, Reenders K, Rutten GEHM. *Het geneeskundig proces. Van klacht naar therapie*. Elsevier gezondheidszorg, Maarsen;1999. ISBN 9789035221478.

Houtveen J. *De dokter kan niets vinden. Het raadsel van medisch onverklaarde lichamelijke klachten*. Amsterdam: Uitgeverij Bert Bakker;2009. ISBN 9789035134003.

Hijdra A, Vermeulen M. *Rationele geneeskunde. Filosofische achtergronden van de geneeskunde*. Elsevier Gezondheidszorg, Maarsen;2008. ISBN 9789035230163.

IJzermans T en Dirx C. *Beren op de weg, spinsels in je hoofd*. Thema. Zaltbommel 2006 ISBN 9070512122.

Jansen E. *Belangrijke kenmerken van behandeling door een ELP*. In *Handboek Psychologie in de eerste lijn*. Lamers E, et al (redactie). Harcourt Amsterdam 2006 ISBN 139789026517747

Jongh de A, Broeke ten E. *Handboek EMDR*. Lisse, Swets & Zeitlinger;2003. ISBN 9789026517246.

Kallen B, Pennings M. *Grip op SOLK*. Den Haag: Boom Lemma Uitgevers;2013. ISBN 9789462360105.

Kahneman D. *Ons feilbare denken*. Business contact;2015. ISBN 9789047007661

Kandel ER, Schwartz JH, Jessell TM. *Principles of neural science 4e ed*. McGraw-Hill Compagnies;2000. ISBN 0071120009.

Klaver MM. *Zakendoen met emoties. Limbische verklaring en cognitieve emotieve behandeling bij SOLK*. Amsterdam:SWP;2015. ISBN 978 90 8850 5423.

Kocken Judith, *Kinderbuik, lekker in je vel door aandacht, ademen en eten*. Ankh-Hermes, 2014. ISBN 9789020211030

Kok A. *Het hiërarchisch brein. Inleiding tot de cognitieve neurowetenschap*. Assen: Koninklijke Van Gorcum;2004. ISBN 9023239776.

Lamers E, Bosch F, Hinderink L, Verschuren C. *Handboek psychologie in de eerste lijn*. Amsterdam: Harcourt Book Publishers;2006. ISBN 109026517742.

McMahon SB, Koltzenburg M. *Wall and Melzack's Textbook of Pain*. 5e ed. Elsevier, Churchill, Livingstone;2006. ISBN 0443072876.

McGilchrist I. *The master and his emissary*. New Haven Yale University Press; 2010. ISBN 9780300168921

Meijer K. *Handboek Psychosomatiek*. 4e druk. HB uitgevers, Baarn;2007. ISBN 9789055744510.

Mesulam M-M. *Principles of behavioral and cognitive neurology*. 2nd ed. New York: Oxford University Press;2000.

Nieuwenhuys R, Voogd J, van Huijzen Chr. *The human central nervous system. A synopsis and atlas*. Springer Verlag Berlin;1978. ISBN 3540089039

O'Sullivan Suzanne. *It's all in your head. Stories of the frontline of psychosomatic illness*. London:Vintage;2015. ISBN 9780099597858.

Pribram KH. *Languages of the brain*. New Jersey: Prentice-Hall;1971.

Rankin Lissa. *De helende werking van je geest*. Amsterdam: Bruna;2015 ISBN 9789400506244.

Rolls ET. *The brain and emotion*. Oxford University Press;1999. ISBN 0198524633.

Russell B. *Geschiedenis der Westerse Filosofie*. Servire Katwijk;1984. ISBN 9063250703.

Sarno JE. *The divided mind*. Regan Books;2006. ISBN 9780060851781

Spaans J. *Handboek behandeling van SOLK*. Lannoo Campus;2017. ISBN 9789401437493.

Van Spaendonck K.P.M., Berger H.J.C., Haverkort A.F.M., van de Lisdonk E.H. *Functionele klachten in de medische praktijk*. Assen:van Gorcum;2007. ISBN 9789023243335.

Truex RC, Carpenter MB. *Human neuroanatomy*. 6e ed. Baltimore:The Williams and Wilkens Compagny;1969.

Van Tulder MW, Koes BW. *Evidence-based handelen bij lage rugpijn*. Houten: Bohn Stafleu van Loghum;2004. ISBN 90 313 4206 8

Vedhara K, Irwin MR. *Human Psychoneuroimmunology*. Oxford University Press;2005. ISBN 0198568843.

Verhaeghe Paul. *Over normaliteit en andere afwijkingen*. Prometheus; 2019. ISBN 9789044643220.

Vogt BA. *Cingulate neurobiology and disease*. Oxford University Press;2009. ISBN 9780198566960.

de Waal F. Zijn we slim genoeg om te weten hoe slim dieren zijn? Amsterdam: Uitgeverij Atlas Contact; 2016. ISBN 9789045035437.

de Waal F. Mama's laatste omhelzing. Amsterdam: Uitgeverij Atlas Contact, 2019. ISBN 9789045034294.

de Wachter Dirk. De kunst van het ongelukkig zijn. Lannoo Campus, 2019. ISBN 9789401463584

Watzlawick P, Beavin JH, Jackson DD. De pragmatische aspecten van de menselijke communicatie. Sociale Bibliotheek Van Loghum Slaterus;1972;ISBN 978 90 6001 218 6

Zald DH, Rauch SL. The orbitofrontal cortex. Oxford University Press;2006. ISBN 9780198565758.

## **Artikelen**

### **Pijn**

Apkarian AV, Sosa Y, Sonty S, Levy RM, Harden RN, Parrish TB, Gitelman DR. Chronic back pain is associated with decreased prefrontal and thalamic gray matter density. J Neurosci. 2004;24(46):10410-5.

Baliki MN, Geha PY, Jabakhanji R, Harden N, Schnitzer TJ, Apkarian AV. A preliminary fMRI study of analgesic treatment in chronic back pain and knee osteoarthritis. Mol Pain. 2008;4:47.

Baliki MN, Chialvo DR, Geha PY, Levy RM, Harden RN, Parrish TB, Apkarian AV. Chronic pain and the emotional brain: specific brain activity associated with spontaneous fluctuations of intensity of chronic back pain. J Neurosci. 2006 ;26(47):12165-73.

Berna C, Leknes S, Holmes EA et al. Induction of depressed mood disrupts emotion regulation neurocircuitry and enhances pain unpleasantness. Biol Psychiatry. 2010;67(11):1083-90.

Blair KS, Smith BW, Mitchell DG et al. Modulation of emotion by cognition and cognition by emotion. Neuroimage 2007;35(1):430-40.

Bingel U, Schoell E, Herken W, Büchel C, May A. Habituation to painful stimulation involves the antinociceptive system. Pain 2007;131(1-2):21-30.

Bingel U, Lorenz J, Schoell E, Weiller C, Büchel C.

Mechanisms of placebo analgesia: rACC recruitment of a subcortical antinociceptive network. Pain. 2006;120(1-2):8-15.

Boettger MK, Schwier C, Bär KJ. Sad mood increases pain sensitivity upon thermal grill illusion stimulation: implications for central pain processing. Pain. 2011;152(1):123-30.

Bradford K, Shih W, Videlock EJ, Presson AP, Naliboff BD, Mayer EA, Chang L. Association between early adverse life events and irritable bowel syndrome. Clin Gastroenterol Hepatol. 2012;10(4):385-90.

Burgmer M, Pogatzki-Zahn E, Gaubitz M, et al. Altered brain activity during pain processing in fibromyalgia. Neuroimage. 2009 ;44(2):502-8.

Burgmer M, Pogatzki-Zahn E, Gaubitz M, et al. Fibromyalgia unique temporal brain activation during experimental pain: a controlled fMRI Study. J Neural Transm. 2010;117(1):123-31.

Burgmer M, Petzke F, Giesecke T, Gaubitz M, Heuft G, Pfeleiderer B. Cerebral activation and catastrophizing during pain anticipation in patients with fibromyalgia. Psychosom Med. 2011;73(9):751-9.

Burns JW, Holly A, Quartana P et al. Trait Anger Management Style Moderates Effects of Actual ("State") Anger Regulation on Symptom-Specific Reactivity and Recovery Among Chronic Low Back Pain Patients. Psychosom Med. 2008 October ; 70(8): 898–905.

Bushnell MC, Apkarian V. Representation of pain in the brain. In: Wall and Melzack's Textbook of Pain 5<sup>th</sup> ed. ISBN 0 443 07287 6 Chap.6:107-24.

DeCharms RC, Maeda F, Glover GH et al. Control over brain activation and pain learned by using real-time functional MRI. Proc Natl Acad Sci 2005;102:18626-31.

Coderre TJ, Katz J, Vaccarino AL, Melzack R. Contribution of central neuroplasticity to pathological pain: review of clinical and experimental evidence. Pain 1993;52:259-85.

Cook DB, Lange G, Ciccone DS, Liu WC, Steffener J, Natelson BH.

Functional imaging of pain in patients with primary fibromyalgia. *J Rheumatol.* 2004;31(2):364-78.

Craggs JG, Staud R, et al. Effective connectivity among brain regions associated with slow temporal summation of C-fiber-evoked pain in fibromyalgia patients and healthy controls. *J Pain.* 2012 Apr;13(4):390-400.

Van Damme, S., Legrain, V., Vogt, J., Crombez, G. (2010). Keeping pain in mind: A motivational account of attention to pain. *Neuroscience and Biobehavioral Reviews.* 2010;34(2): 204-213.

De Benedittis G, Lorenzetti A. The role of stressful life events in the persistence of primary headache: major events vs. daily hassles. *Pain.*1992;51:35-42.

Dostrovsky JO and Craig AD. Ascending projection systems. In: Wall and Melzack's *Textbook of Pain* 5<sup>th</sup> ed. ISBN 0 443 07287 6 Chap.11:187-203.

Drummond PD, Finch PM. Sensory changes in the forehead of patients with complex regional pain syndrome. *Pain* 2006;123:83-89.

Eippert F, Bingel U, Schoell ED et al. Activation of the opioidergic descending pain control system underlies placebo analgesia. *Neuron.* 2009 ;63(4):533-43.

Ellingsen DM, Wessberg J, Eikemo M et al. Placebo improves pleasure and pain through opposite modulation of sensory processing. *PNAS* 2013;110(44):17993-8.

Fields HL, Basbaum AI, Heinricher MM. Central nervous system mechanisms of pain modulation. In: Wall and Melzack's *Textbook of Pain* 5<sup>th</sup> ed. ISBN 0 443 07287 6 Chap.7:125-142.

Flor H, Schugens MM, Birbaumer N. Discrimination of muscle tension in chronic pain patients and healthy controls. *Biofeedback Self Regul.* 1992;17(3): 165-77.

Garcia-Larrea L, Perchet C, Creac'h C, Convers P, Peyron R, Laurent B, Mauguière F, Magnin M. Operculo-insular pain (parasyylvian pain): a distinct central pain syndrome. *Brain.* 2010;133(9):2528-39.

Geha PY, Baliki MN, Harden RN, Bauer WR, Parrish TB, Apkarian AV. The brain in chronic CRPS pain: abnormal gray-white matter interactions in emotional and autonomic regions. *Neuron.* 2008 ;60(4):570-81.

Gracely RH, Petzke F, Wolf JM, Clauw DJ. Functional magnetic resonance imaging evidence of augmented pain processing in fibromyalgia. *Arthritis Rheum* 2002;46:1333-43.

Gracely RH, Geisser ME, Giesecke T et al. Pain catastrophizing and neural responses to pain among persons with fibromyalgia. *Brain* 2004;127:835-43.

Grande LA, Loeser JD, Ozuna J, Ashleigh A, Samii A. Complex regional pain syndrome as a stress response. *Pain* 2004;110:495-98.

Gündel H, Valet M, Sorg C, Huber D, Zimmer C, Sprenger T, Tölle TR. Altered cerebral response to noxious heat stimulation in patients with somatoform pain disorder. *Pain.* 2008;137(2):413-21.

Hashmi JA, Baliki MN, Huang L, et al. Shape shifting pain: chronification of back pain shifts brain representation from nociceptive to emotional circuits. *Brain.* 2013 Sep;136(Pt 9):2751-68.

Ichesco E, Quintero A, Clauw DJ et al. Altered functional connectivity between the insula and the cingulate cortex in patients with temporomandibular disorder: a pilot study. *Headache.* 2012;52(3):441-54

Jensen KB, Kosek E, Petzke F et al. Evidence of dysfunctional pain inhibition in fibromyalgia reflected in rACC during provoked pain. *Pain.* 2009;144(1-2):95-100.

Jensen KB, Kosek E, Wicksell R et al. Cognitive Behavioral Therapy increases pain-evoked activation of the prefrontal cortex in patients with fibromyalgia. *Pain.* 2012 Jul;153(7):1495-503.

Kano M, Hamaguchi T, Itoh M, Yanai K, Fukudo S. Correlation between alexithymia and hypersensitivity to visceral stimulation in human. *Pain.* 2007 ;132(3):252-63.

Koyama T et al. The subjective experience of pain: where expectations become reality. *Proc. Natl. Acad. Sci.* 2005;102(36):12950-5.

Kringelbach ML. Deep brain stimulation for chronic pain investigated with magnetoencephalography. *Neuroreport.* 2007;18(3):223-8.

Labus JS, Naliboff BN, Mayer EA et al. Sex differences in brain activity during aversive visceral stimulation and its expectation in patients with chronic abdominal pain: a network analysis. *Neuroimage.* 2008;41(3):1032-43.

Larsson MB, Tillisch K, Craig AD, et al. Brain responses to visceral stimuli reflect visceral sensitivity thresholds in patients with irritable bowel syndrome. *Gastroenterology.* 2012;142(3):463-472.

Lorenz J, Minoshima S, Casey KL. Keeping pain out of mind: the role of the dorsolateral prefrontal cortex in pain modulation. *Brain* 2003;126:1079-91.

Lutz J, Jäger L, de Quervain D, et al. White and gray matter abnormalities in the brain of patients with fibromyalgia: a diffusion-tensor and volumetric imaging study. *Arthritis Rheum.* 2008 ;58(12):3960-9.

Maihöfner C, Handwerker HO, Neundörfer B, Birklein F. Cortical reorganization during recovery from complex regional pain syndrome. *Neurology.* 2004;63(4):693-701.

Maihöfner C, Handwerker HO, Birklein F. Functional imaging of allodynia in complex regional pain syndrome. *Neurology* 2006;66(5):711-7.

Maihöfner C, Schmelz M, Forster C, Neundörfer B, Handwerker HO. Neural activation during experimental allodynia: a functional magnetic resonance imaging study. *Eur J Neurosci.* 2004;19(12):3211-8.

Mayer EA, Berman S, Suyenobu B, Labus J, Mandelkern MA, Naliboff BD, Chang L. Differences in brain responses to visceral pain between patients with irritable bowel syndrome and ulcerative colitis. *Pain.* 2005 ;115(3):398-409.

Mazzola L, Faillenot I, Barral FG, Mauguière F, Peyron R. Spatial segregation of somato-sensory and pain activations in the human operculo-insular cortex. *Neuroimage.* 2012 Mar;60(1):409-18.

Mazzola L, Isnard J, Peyron R, Mauguière F. Stimulation of the human cortex and the experience of pain: Wilder Penfield's observations revisited. *Brain.* 2012;135(Pt 2):631-40.

Melzack R. The tragedy of needless pain. *Scientific American* 1990;262(2):19-25.

Melzack R, Casey KL. Sensory, motivational and central control determinants of pain. A new concept model. In: Kenshalo DR, editor. *The Skin Senses.* Springfield USA Thomas Books, 1968.

Numminen RTT, Narvanen S, Hiltunen J, Hari R. Brain correlates of subjective reality of physically and psychologically induced pain. *Proc Natl Acad Sci USA* 2005; 10: 147-51.

Parks EL, Geha PY, Baliki MN, Katz J, Schnitzer TJ, Apkarian AV. Brain activity for chronic knee osteoarthritis: dissociating evoked pain from spontaneous pain. *Eur J Pain.* 2011;15(8):843.e1-14.

Petrovic P, Kalso E, Petersson KM, Ingvar M. Placebo and opioid analgesia-- imaging a shared neuronal network. *Science.* 2002;295(5560):1737-40.

Peyron R, Faillenot I. Functional brain mapping of pain perception. *Med Sci (Paris).* 2011;27(1):82-7.

Peyron R, García-Larrea L, Grégoire MC, Costes N, Convers P, Lavenne F, Mauguière F, Michel D, Laurent B. Haemodynamic brain responses to acute pain in humans: sensory and attentional networks. *Brain.* 1999 Sep;122 ( Pt 9):1765-80.

Piñerua-Shuhaibar L, Villalobos N, Delgado N, Rubio MA, Suarez-Roca H. Enhanced central thermal nociception in mildly depressed nonpatients and transiently sad healthy subjects. *J Pain.* 2011 Mar;12(3):360-9.

Ploghaus A, Narain C, Beckmann CF, Wise R, Tracey I. Exacerbation of pain by anxiety is associated with activity in a hippocampal network. *J Neurosci.* 2001;21:9896-903.

Philips ML et al. The effect of negative emotional context on neural and behavioral responses to oesophageal stimulation. *Brain* 2003;126:669-84.

Qiu YH, Wu XY, Xu H, Sackett D. Neuroimaging study of placebo analgesia in humans. *Neurosci Bull.* 2009;25(5):277-82.

Qiu Y, Noguchi Y, Honda M et al. Brain processing of the signals ascending through unmyelinated C fibers in humans: an event-related functional magnetic resonance imaging study. *Cereb Cortex.* 2006;16(9):1289-95.

Raij TT, Numminen J, Närvänen S et al. Brain correlates of subjective reality of physically and psychologically induced pain. *PNAS.* 2005;102(6):2147-51.

Rainville P, Hofbauer RK, Paus T et al. Cerebral mechanisms of hypnotic induction and suggestion. *J Cogn Neurosci.* 1999;11(1):110-25.

Rainville P, Duncan Gh, Price DD, Carrier B, Bushnell MC. Pain affect encoded in human anterior cingulate but not somatosensory cortex. *Science* 1997;277:968-71.

Raz A, Fan J, Posner MI. Hypnotic suggestion reduces conflict in the human brain. *PNAS* 2005;102(28):9978-83.

Richter M, Eck J, Straube T, Miltner WH, Weiss T. Do words hurt? Brain activation during the processing of pain-related words. *Pain.* 2010 ;148(2):198-205.

Ringel Y, Drossman DA, Leserman JL, et al. Effect of abuse history on pain reports and brain responses to aversive visceral stimulation: an fMRI study. *Gastroenterology*. 2008 ;134(2):396-404.

Rubio A, Van Oudenhove L, Pellissier S, et al. Uncertainty in anticipation of uncomfortable rectal distension is modulated by the autonomic nervous system--a fMRI study in healthy volunteers. *Neuroimage*. 2015 Feb 15;107:10-22.

Schoell ED, Bingel U, Eippert F et al. The effect of opioid receptor blockade on the neural processing of thermal stimuli. *PLoS One*. 2010 Aug 27;5(8):e12344.

Schweinhart P, Sauro KM, Bushnell MC. Fibromyalgia: a disorder of the brain? *Neuroscientist*. 2008;14(5):415-21.

Seminowicz DA, Mikulis DJ, Davis KD. Cognitive modulation of pain-related brain responses depends on behavioral strategy. *Pain* 2004;112:48-58.

Seminowicz DA, Davis KD. Cortical responses to pain in healthy individuals depends on pain catastrophizing. *Pain* 2006;120:297-306.

Seminowicz DA, Labus JS, Bueller JA, et al. Regional gray matter density changes in brains of patients with irritable bowel syndrome. *Gastroenterology*. 2010;139(1):48-57.

Snijders TJ, Ramsey NF, van Gijn J. Functionele beeldvorming van de hersenen in het onderzoek naar chronische, onverklaarde pijn. *Ned Tijdschr Geneeskd* 2007;151:461-5.

Snijders TJ, Ramsey NF, Koerselman F, van Gijn J. Attentional modulation fails to attenuate the subjective pain experience in chronic unexplained pain. *Eur J Pain*. 2010;14(3):282.e1-10.

Staud R, Craggs JG, Robinson ME et al. Brain activity related to temporal summation of C-fiber evoked pain. *Pain*. 2007;129(1-2):130-42

Staud R, Robinson ME, Price DD. Temporal summation of second pain and its maintenance are useful for characterizing widespread central sensitization of fibromyalgia patients. *J Pain*. 2007 Nov;8(11):893-901.

Staud R, Craggs JG, Perlstein WM, Robinson ME, Price DD. Brain activity associated with slow temporal summation of C-fiber evoked pain in fibromyalgia patients and healthy controls. *Eur J Pain*. 2008;12(8):1078-89.

Taylor KS, Seminowicz DA, Davis KD. Two systems of resting state connectivity between the insula and cingulate cortex. *Hum Brain Mapp*. 2009 ;30(9):2731-45.

Tillisch K, Mayer EA. Pain Perception in Irritable Bowel Syndrome. *CNS Spectr*. 2005;10(11):877-882

Treede R-D, Kenshalo DR, Gracely RH, Jones AKP. The cortical representation of pain. Review Article. *Pain* 1999;79:105-111.

Treede R-D, Apkarian AV, Bromm B et al. Cortical representation of pain: functional characterization of nociceptive areas near the lateral sulcus. *Pain* 2000;87:113-19.

Vaccarino AL, Melzack R. Temporal processes of formalin pain: differential role of the cingulum bundle, fornix pathway and medial bulboreticular formation. *Pain* 1992;49:257-71.

Valet M et al. Distraction modulates connectivity of the cingulo-frontal cortex and the midbrain during pain- an fMRI analysis. *Pain* 2004;109:399-408.

Vase L, Robinson ME, Verne GN, Price DD. Increased placebo analgesia over time in irritable bowel syndrome (IBS) patients is associated with desire and expectation but not endogenous opioid mechanisms. *Pain* 2005;115:338-47.

Verne GN, Himes NC, Robinson ME et al. Central representation of visceral and cutaneous hypersensitivity in the irritable bowel syndrome. *Pain* 2003;103:99-110.

Villemure C, Slotnick BM, Bushnell MC. Effects of odors on pain perception: deciphering the roles of emotion and attention. *Pain*. 2003 Nov;106(1-2):101-8.

Villemure C, Bushnell MC. Mood influences supraspinal pain processing separately from attention. *J Neurosci*. 2009 Jan 21;29(3):705-15.

Wager TD, Scott DJ, Zubieta JK. Placebo effects on human mu-opioid activity during pain. *Proc Natl Acad Sci U S A*. 2007;104(26):11056-61.

Wiech K, Kalisch R, Weiskopf N et al. Anterolateral prefrontal cortex mediates the analgesic effect of expected and perceived control over pain. *J Neurosci*. 2006;26(44):11501-9.

Van Wilgen CP, Keizer D. Het sensitiseringsmodel: een methode om een patiënt uit te leggen wat chronische pijn is. *Ned Tijdschr Geneeskd* 2004;148(51):2535-38.

Willoch F, Gamringer U, Medele R et al. Analgesia by electrostimulation of the trigeminal ganglion in patients with trigeminopathic pain: a PET activation study. *Pain* 2003;103:119-130.

Vlaeyen JW, Kole-Snijders AM, Boeren RG, van Eek H. Fear of movement/(re)injury in chronic low back pain and its relation to behavioral performance. *Pain*. 1995;62(3):363-72.

Wang G, Erpelding N, Davis KD. Sex differences in connectivity of the subgenual anterior cingulate cortex. *Pain*. 2014 Apr;155(4):755-63.

Woolf CJ. The pathophysiology of peripheral neuropathic pain-abnormal peripheral input and abnormal central processing. *Acta Neurochir* 1993;58:125-30.

Woolf CJ. Central sensitization: Implications for the diagnosis and treatment of pain *Pain*. 2011; 152(3 Suppl): S2–15.

Xie YF, Huo FQ, Tang JS. Cerebral cortex modulation of pain. *Acta Pharmacol Sin*. 2009;30(1):31-41.

Yang L, Symonds LL. Neural substrate for facilitation of pain processing during sadness. *Neuroreport*. 2012 Oct 24;23(15):911-5.

Zambreanu L et al. A role for the brainstem in central sensitisation in humans. Evidence from fMRI. *Pain* 2005;114:397-407.

Zhang L, Zhang Y, Zhao ZQ. Anterior cingulate cortex contributes to the descending facilitatory modulation of pain via dorsal reticular nucleus. *Eur J Neurosci*. 2005 ;22(5):1141-8.

Zubieta JK, Stohler CS. Neurobiological mechanisms of placebo responses. *Ann N Y Acad Sci*. 2009;1156:198-210.

## Emotie

Amting JM, Greening SG, Mitchell DG. Multiple mechanisms of consciousness: the neural correlates of emotional awareness. *J Neurosci*. 2010 Jul 28;30(30):10039-47.

An X, Bandler R, Ongür D, Price JL. Prefrontal cortical projections to longitudinal columns in the midbrain periaqueductal gray in macaque monkeys. *J Comp Neurol*. 1998;401(4):455-79.

Anders S, Eippert F, Wiens S, Birbaumer N, Lotze M, Wildgruber D. When seeing outweighs feeling: a role for prefrontal cortex in passive control of negative affect in blindsight. *Brain*. 2009;132(Pt 11):3021-31.

Anderson MC, Ochsner KN, Kuhl B et al. Neural systems underlying the suppression of unwanted memories. *Science*. 2004;303(5655):232-5.

Agustín-Pavón C, Braesicke K, Shiba Y et al. Lesions of Ventrolateral Prefrontal or Anterior Orbitofrontal Cortex in Primates Heighten Negative Emotion. *Biol Psychiatry*. 2012;72(4):266-72.

Baeken C, Van Schuerbeek P, De Raedt R, et al. Reduced left subgenual anterior cingulate cortical activity during withdrawal-related emotions in melancholic depressed female patients. *J Affect Disord*. 2010;127(1-3):326-31.

Barbas H. Connections underlying the synthesis of cognition, memory, and emotion in primate prefrontal cortices. *Brain Res Bull*. 2000;52(5):319-30.

Barbas H, Saha S, Rempel-Clower N, Ghashghaei T. Serial pathways from primate prefrontal cortex to autonomic areas may influence emotional expression. *BMC Neurosci*. 2003;4:25.

Banks SJ, Eddy KT, Angstadt M et al. Amygdala-frontal connectivity during emotion regulation. *Soc Cogn Affect Neurosci*. 2007;2(4):303-12.

Beauregard M. Mind does really matter: evidence from neuroimaging studies of emotional self-regulation, psychotherapy and placebo effect. *Prog Neurobiol*. 2007;81(4):218-36.

Beauregard M, Paquette V. Neural correlates of a mystical experience in Carmelite nuns. *Neurosci Lett*. 2006;405(3):186-90.

Bechara A, Damasio H, Damasio AR, Lee GP. Different contributions of the human amygdala and ventromedial prefrontal cortex to decision-making. *J Neurosci*. 1999;19(13):5473-81.

Berking M, Ebert D, Cuijpers P, Hofmann SG. Emotion Regulation Skills Training Enhances the Efficacy of Inpatient Cognitive Behavioral Therapy for Major Depressive Disorder: A Randomized Controlled Trial. *Psychother Psychosom*. 2013;82(4):234-245.

Berkowitz RL, Coplan JD, Reddy DP, Gorman JM. The human dimension: how the prefrontal cortex modulates the subcortical fear response. Review. *Rev Neurosci*. 2007;18(3-4):191-207.

Bishop S, Duncan J, Brett M, Lawrence AD. Prefrontal cortical function and anxiety: controlling attention to threat-related stimuli. *Nat Neurosci*. 2004;7(2):184-8.

Blair KS, Smith BW, Mitchell DG, Drevets WC et al. Modulation of emotion by cognition and cognition by emotion. *Neuroimage*. 2007;35(1):430-40.

Bogerts B, Scheich H, Heinze HJ. Functional dissociation between medial and lateral prefrontal cortical spatiotemporal activation in negative and positive emotions: a combined fMRI/MEG study. *Cereb Cortex*. 2000;10(1):93-107.

Bonnici HM, Chadwick MJ, Lutti A, Hassabis D, Weiskopf N, Maguire EA. Detecting representations of recent and remote autobiographical memories in vmPFC and hippocampus. *J Neurosci*. 2012;32(47):16982-91.

Braunstein LM, Gross JJ, Ochsner KN. Explicit and implicit emotion regulation: a multi-level framework. *Soc. Cogn. Affect Neurosci.*, 2017, 1545–1557

Brosschot JF. Cognitive-emotional sensitization and somatic health complaints. *Scand J Psychol*. 2002;43(2):113-21.

Brosschot JF, Verkuil B, Thayer JF. Conscious and unconscious perseverative cognition: is a large part of prolonged physiological activity due to unconscious stress? *J Psychosom Res*. 2010;69(4):407-16.

Buchheim A, Viviani R, Kessler H et al. Changes in prefrontal-limbic function in major depression after 15 months of long-term psychotherapy. *PLoS One*. 2012;7(3):e33745

Burgess PW, Scott SK, Frith CD. The role of the rostral frontal cortex (area 10) in prospective memory: a lateral versus medial dissociation. *Neuropsychologia*. 2003;41(8):906-18.

Bush G, Luu P, Posner MI. Cognitive and emotional influences in anterior cingulate cortex. *Trends Cogn Sci* 2000;4(6):215-22.

Butler T, Pan H, Epstein J et al. Fear-related activity in subgenual anterior cingulate differs between men and women. *Neuroreport*. 2005;16(11):1233-6.

Campbell-Sills L, Simmons AN, Lovero KL et al. Functioning of neural systems supporting emotion regulation in anxiety-prone individuals. *Neuroimage*. 2011 Jan 1;54(1):689-96.

Canli T, Zhao Z, Brewer J et al. Event-related activation in the human amygdala associates with later memory for individual emotional experience. *J Neurosci*. 2000;20(19):RC99.

Carlsson K, Petersson KM, Lundqvist D, Carlsson A, Ingvar M, Ohman A. Fear and the amygdala: manipulation of awareness generates differential cerebral responses to phobic and fear-relevant (but nonfeared) stimuli. *Emotion*. 2004 Dec;4(4):340-53.

Carmichael ST, Price JL. Limbic connections of the orbital and medial prefrontal cortex in macaque monkeys. *J Comp Neurol*. 1995;363(4):615-641.

Clark DA, Beck AT. Cognitive theory and therapy of anxiety and depression: convergence with neurobiological findings. *Trends Cogn Sci*. 2010;14(9):418-24.

Cojan Y, Waber L, Carruzzo A, Vuilleumier P. Motor inhibition in hysterical conversion paralysis. *Neuroimage*. 2009;47(3):1026-37.

Cole MW, Schneider W. The cognitive control network: Integrated cortical regions with dissociable functions. *Neuroimage*. 2007;37(1):343-60.

Cook DB, O'Connor PJ, Lange G, Steffener J. Functional neuroimaging correlates of mental fatigue induced by cognition among chronic fatigue syndrome patients and controls. *Neuroimage*. 2007 May 15;36(1):108-22.

Davidson RJ, Abercrombie H, Nitschke JB, Putnam K. Regional brain function, emotion and disorders of emotion. *Curr Opin Neurobiol* 1999;9:228-34.

Davidson RJ. Well-being and affective style: neural substrates and biobehavioral correlates. *Phil.Trans.R. Soc. Lond. B* 2004;359:1395-1411.

Davidson RJ, Irwin W. The functional neuroanatomy of emotion and affective style. *Trends Cogn Sci*. 1999;3(1):11-21.

Depue BE, Curran T, Banich MT. Prefrontal regions orchestrate suppression of emotional memories via a two-phase process. *Science* 2007;317(5835):215-9.

Devinsky O, Morrell MJ, Vogt BA. Contributions of anterior cingulate cortex to behavior. *Brain* 1995;118:279-306.



Dougherty DD, Shin LM, Rauch SL. Orbitofrontal cortex activation during functional neuroimaging studies of emotion induction in humans. In Zald DH, Rauch SL. The orbitofrontal cortex. Oxford University Press. 2006:377-91.

Drevets WC, Price JL, Simpson JR et al. Subgenual prefrontal cortex abnormalities in mood disorders. *Nature* 1997;386:769-70.

Drevets WC, Savitz J, Trimble M. The subgenual anterior cingulate cortex in mood disorders. *CNS Spectr*. 2008 Aug;13(8):663-81. Review.

Drossman DA, Ringel Y et al. Alterations of brain activity associated with the resolution of emotional distress and pain in a case of severe irritable bowel syndrome. *Gastroenterology* 2003;124:754-61.

Dum RP, Levinthal DJ, Strick PL. Motor, Cognitive, and Affective Areas of the Cerebral Cortex Influence the Adrenal Medulla. *Proc Natl Acad Sci*. 2016;113(35):9922-7.

Eippert F, Veit R, Weiskopf N, Erb M, Birbaumer N, Anders S. Regulation of emotional responses elicited by threat-related stimuli. *Hum Brain Mapp*. 2007 ;28(5):409-23.

Eisenberger NI, Lieberman MD, Williams KD. Does rejection hurts? An fMRI study of social exclusion. *Science* 2003;302:209-92.

Egner T, Etkin A, Gale S, Hirsch J. Dissociable neural systems resolve conflict from emotional versus nonemotional distracters. *Cereb Cortex*. 2008;18(6):1475-84.

Erk S, Kleczar A, Walter H. Valence-specific regulation effects in a working memory task with emotional context. *Neuroimage*. 2007;37(2):623-32.

Erk S, Walter H, Abler B. Age-related physiological responses to emotion anticipation and exposure. *Neuroreport*. 2008 Mar 5;19(4):447-52

Etkin A, Egner T, Kalisch R. Emotional processing in anterior cingulate and medial prefrontal cortex. *Trends Cogn Sci*. 2011;15(2):85-93.

Etkin A, Egner T, Peraza DM, Kandel ER, Hirsch J. Resolving emotional conflict: a role for the rostral anterior cingulate cortex in modulating activity in the amygdala. *Neuron*. 2006; 51(6):871-82.

Fan J, Gu X, Liu X et al. Involvement of the anterior cingulate and frontoinsula cortices in rapid processing of salient facial emotional information. *Neuroimage*. 2011 Feb 1;54(3):2539-46.

Felmingham KL, Williams LM, Kemp AH, Rennie C, Gordon E, Bryant RA. Anterior cingulate activity to salient stimuli is modulated by autonomic arousal in posttraumatic stress disorder. *Psychiatry Res*. 2009;173(1):59-62.

Fossati P, Hevenor SJ, Graham SJ, Grady C, Keigthley ML, Craik F, Mayberg H. In search of the emotional self: an fMRI study using positive and negative emotional words. *Am J Psychiatry*. 2003;160(11):1938-45.

Freedman LJ, Insel TR, Smith Y. Subcortical projections of area 25 (subgenual cortex) of the macaque monkey. *J Comp Neurol*. 2000;421(2):172-88.

Fulwiler CE, King JA, Zhang N. Amygdala-orbitofrontal resting-state functional connectivity is associated with trait anger. *Neuroreport* 2012; 23(10) :606-10.

Ganzel BL, Morris PA, Wethington E. Allostasis and the human brain: Integrating models of stress from the social and life sciences. *Psychol Rev*. 2010;117(1):134-74.

Gerber AJ, Posner J, Gorman D, Colibazzi T, Yu S, Wang Z, Kangarlu A, Zhu H, Russell J, Peterson BS. An affective circumplex model of neural systems subserving valence, arousal, and cognitive overlay during the appraisal of emotional faces. *Neuropsychologia*. 2008;46(8):2129-39.

Ghashghaei HT, Barbas H. Pathways for emotion: interactions of prefrontal and anterior temporal pathways in the amygdala of the rhesus monkey. *Neuroscience* 2002;115(4):1261-79.

Ghashghaei HT, Hilgetag CC, Barbas H. Sequence of information processing for emotions based on the anatomic dialogue between prefrontal cortex and amygdala. *Neuroimage*. 2007;34(3):905-23.

Gillihan SJ, Xia C, Padon AA, Heberlein AS, Farah MJ, Fellows LK. Contrasting roles for lateral and ventromedial prefrontal cortex in transient and dispositional affective experience. *Soc Cogn Affect Neurosci*. 2011;6(1):128-37.

Gillath O, Bunge SA, Shaver PR, Wendelken C, Mikulincer M. Attachment-style differences in the ability to suppress negative thoughts: exploring the neural correlates. *Neuroimage*. 2005;28(4):835-47.

Gittins R, Harrison PJ. A quantitative morphometric study of the human anterior cingulate cortex. *Brain Res*. 2004;1013(2):212-22.

Goldapple K et al. Modulation of cortical-limbic pathways in major depression. *Arch Gen Psychiatry* 2004;61:34-41.

Gross JJ. Emotion regulation: affective, cognitive, and social consequences. *Psychophysiology*. 2002 May;39(3):281-91. Review.

Gu X, Liu X, Van Dam NT, Hof PR, Fan J. Cognition-emotion integration in the anterior insular cortex. *Cereb Cortex*. 2013;23(1):20-7.

Haas BW, Omura K, Constable RT, Canli T. Interference produced by emotional conflict associated with anterior cingulate activation. *Cogn Affect Behav Neurosci*. 2006;6(2):152-6.

Haas BW, Omura K, Constable RT, Canli T. Emotional conflict and neuroticism : personality-dependent activation in the amygdala and subgenual anterior cingulate. *Behav neurosci*. 2007;121(2):249-56.

Hariri AR, Bookheimer SY, Mazziotta JC. Modulating emotional responses: effects of a neocortical network on the limbic system. *Neuroreport*. 2000;11(1):43-8.

Heinzel A, Bermpohl F, Niese R et al. How do we modulate our emotions? Parametric fMRI reveals cortical midline structures as regions specifically involved in the processing of emotional valences. *Brain Res Cogn Brain Res*. 2005;25(1):348-58.

Henckens MJ, van Wingen GA, Joëls M, Fernández G. Corticosteroid modulation of prefrontal control. *Proc Natl Acad Sci USA*. 2011; 108(14):5801-6.

Henningsen P. The body in the brain: towards a representational neurobiology of somatoform disorders. *Acta Neuropsychiatrica* 2003;15:157-60.

Herwig U, Baumgartner T, Kaffenberger T et al. Modulation of anticipatory emotion and perception processing by cognitive control. *Neuroimage*. 2007;37(2):652-62.

Holtz K, Pané-Farré CA, Wendt J, Lotze M, Hamm AO. Brain activation during anticipation of interoceptive threat. *Neuroimage*. 2012;61(4):857-65.

Holzschneider K, Mulert C. Neuroimaging in anxiety disorders. *Dialogues Clin Neurosci*. 2011;13(4):453-61.

Hooker CI, Knight RT. The role of lateral orbitofrontal cortex in the inhibitory control of emotion. in Zald DH, Rauch SL. *The orbitofrontal cortex*. Oxford University Press. 2006:307-24.

Hooley JM, Gruber SA, Parker HA et al. Cortico-limbic response to personally challenging emotional stimuli after complete recovery from depression. *Psychiatry Res*. 2009 Apr 30;172(1):83-91.

Iaria G, Committeri G, Pastorelli C, Pizzamiglio L, Watkins KE, Carota A. Neural activity of the anterior insula in emotional processing depends on the individuals' emotional susceptibility. *Hum Brain Mapp*. 2008;29(3):363-73.

Johnson SC, Schmitz TW, Kawahara-Baccus TN et al. The cerebral response during subjective choice with and without self-reference. *J Cogn Neurosci*. 2005;17(12):1897-906.

Johnson MK, Raye CL, Mitchell KJ, Touryan SR, Greene EJ, Nolen-Hoeksema S. Dissociating medial frontal and posterior cingulate activity during self-reflection. *Soc Cogn Affect Neurosci*. 2006 Jun;1(1):56-64.

Johnstone T, van Reekum CM, Urry HL, Kalin NH, Davidson RJ. Failure to regulate: counterproductive recruitment of top-down prefrontal-subcortical circuitry in major depression. *J Neurosci*. 2007;27(33):8877-84.

Kalisch R, Wiech K, Critchley HD, Dolan RJ. Levels of appraisal: a medial prefrontal role in high-level appraisal of emotional material. *Neuroimage*. 2006;30(4):1458-66.

Kamphausen S, Schröder P, Maier S, et al. Medial prefrontal dysfunction and prolonged amygdala response during instructed fear processing in borderline personality disorder. *World J Biol Psychiatry*. 2013;14(4):307-18, S1-4.

Kanaan RA, Craig TK, Wessely SC, David AS. Imaging repressed memories in motor conversion disorder. *Psychosom Med*. 2007;69(2):202-5.

Keightley ML, Seminowicz DA, Bagby RM, Costa PT, Fossati P, Mayberg HS. Personality influences limbic-cortical interactions during sad mood induction. *Neuroimage*. 2003;20(4):2031-9.

Killgore WD, Yurgelun-Todd DA. Activation of the amygdala and anterior cingulate during nonconscious processing of sad versus happy faces. *Neuroimage*. 2004;21(4):1215-23.

Kim SH, Hamann S. Neural correlates of positive and negative emotion regulation. *J Cogn neurosci*. 2007;19(5):776-98.

Kim H, Somerville LH, Johnstone T et al. Inverse amygdala and medial prefrontal cortex responses to surprised faces. *Neuroreport*. 2003;14(18):2317-22.

Kim MJ, Loucks RA, Palmer AL, Whalen PJ et al. The structural and functional connectivity of the amygdala: from normal emotion to pathological anxiety. *Behav Brain Res*. 2011;223(2):403-10.

Kim Y, Sakata H, Nejime M, et al. Afferent connections of the dorsal, perigenual, and subgenual anterior cingulate cortices of the monkey: Amygdalar inputs and intrinsic connections. *Neurosci Lett*. 2018 Aug 10;681:93-99.

Kimbrell TA, George MS, Parekh PI et al. Regional brain activity during transient self-induced anxiety and anger in healthy adults. *Biol Psychiatry*. 1999;46(4):454-65.

Kleckner IR, Zhang J, Touroutoglou A et al. Evidence for a Large-Scale Brain System Supporting Allostasis and Interoception in Humans. *Nat Hum Behav*. 2017;1. pii: 0069.

de Kloet ER. Stress: neurobiologisch perspectief. *Tijdschr Psychiatrie* 2009;51(8):541-50.

de Kloet ER, de Kloet SF, de Kloet CS, de Kloet AD. Top-down and bottom-up control of stress-coping. *J Neuroendocrinol*. 2019 Mar;31(3):e12675.

Klumpp H, Ho SS, Taylor SF, Phan KL, Abelson JL, Liberzon I. Trait anxiety modulates anterior cingulate activation to threat interference. *Depress Anxiety*. 2011;28(3):194-201.

Kross E, Davidson M, Weber J, Ochsner K. Coping with emotions past: the neural bases of regulating affect associated with negative autobiographical memories. *Biol Psychiatry* 2009;65(5):361-66.

Kross E, Berman MG, Mischel W et al. Social rejection shares somatosensory representations with physical pain. *Proc Natl Acad Sci U S A*. 2011;108(15):6270-5.

Kuchinke L, Jacobs AM, Grubich C et al. Incidental effects of emotional valence in single word processing: an fMRI study. *Neuroimage*. 2005;28(4):1022-32.

Kuhl BA, Dudukovic NM, Kahn I, Wagner AD. Decreased demands on cognitive control reveal the neural processing benefits of forgetting. *Nat Neurosci*. 2007;10(7):908-14.

Lai CH, Wu YT. Fronto-temporo-insula gray matter alterations of first-episode, drug-naïve and very late-onset panic disorder patients. *J Affect Disord*. 2012 ;140(3):285-91

Lane RD, Davidson RJ et al. Neuroanatomical correlates of happiness, sadness and disgust. *Am J Psychiatry* 1997;154:926-33.

Lane RD. Neural substrates of implicit and explicit emotional processes: a unifying framework for psychosomatic medicine. *Psychosom Med*. 2008 Feb;70(2):214-31.

Lane RD. Neural substrates of implicit and explicit emotional processes: a unifying framework for psychosomatic medicine. *Psychosom Med*. 2008;70(2):214-31.

Lane RD, McRae K, Reiman EM, Chen K, Ahern GL, Thayer JF. Neural correlates of heart rate variability during emotion. *Neuroimage*. 2009 ;44(1):213-22.

Lane RD, Waldstein SR, Chesney MA, et al. The rebirth of neuroscience in psychosomatic medicine, Part I: historical context, methods, and relevant basic science. *Psychosom Med*. 2009;71(2):117-34.

Lau HC, Passingham RE. Unconscious activation of the cognitive control system in the human prefrontal cortex. *J Neurosci*. 2007;27(21):5805-11.

Lazarus RS. From psychological stress to the emotions: a history of changing outlooks. *Annu.Rev.Psychol*. 1993;44:1-21.

LeDoux JE. Emotion, memory and the brain. *Sci Am*. 1994 Jun;270(6):50-7. Review.

LeDoux JE. Emotional memory systems in the brain. *Behav Brain Res*. 1993;58(1-2):69-79.

Lemogne C, Gorwood P, Bergouignan L, Pélioso A, Lehericy S, Fossati P. Negative affectivity, self-referential processing and the cortical midline structures. *Soc Cogn Affect Neurosci*. 2011;6(4):426-33.

Lerner Y, Singer N, Gonen T, et al. Feeling without Seeing? Engagement of Ventral, but Not Dorsal, Amygdala during Unaware Exposure to Emotional Faces. *J Cogn Neurosci*. 2011 Nov 18.

Lévesque J, Eugène F, Joannette Y et al. Neural circuitry underlying voluntary suppression of sadness. *Biol Psychiatry*. 2003;53(6):502-10.

Lévesque J, Joannette Y, Mensour B et al. Neural correlates of sad feelings in healthy girls. *Neuroscience* 2003;121(3):545-51.

Lévesque J, Joannette Y, Mensour B, Beaudoin G, Leroux JM, Bourgouin P, Beauregard M. Neural basis of emotional self-regulation in childhood. *Neuroscience*. 2004;129(2):361-9.

Lewis PA, Critchley HD, Smith AP, Dolan RJ. Brain mechanisms for mood congruent memory facilitation. *Neuroimage*. 2005;25(4):1214-23.

Lieberman MD, Jarcho JM, Berman S, Naliboff BD, Suyenobu BY, Mandelkern M, Mayer EA. The neural correlates of placebo effects: a disruption account. *Neuroimage*. 2004 May;22(1):447-55.

Lieberman MD, Jarcho JM, Berman S, Naliboff BD, Suyenobu BY, Mandelkern M, Macdonald G, Leary MR. Why does social exclusion hurt? The relationship between social and physical pain. *Psychol Bull*. 2005;131(2):202-23.

Lieberman MD, Eisenberger NI, Crockett MJ, Tom SM, Pfeifer JH, Way BM. Putting feelings into words: affect labeling disrupts amygdala activity in response to affective stimuli. *Psychol Sci*. 2007;18(5):421-8.

Liotti M, Mayberg HS, Brannan, SK et al. Differential limbic-cortical correlates of sadness and anxiety in healthy subjects: implications for affective disorders. *Biol.Psychiatry* 2000;48(1):30-42.

Loggia ML, Mogil JS, Bushnell MC. Experimentally induced mood changes preferentially affect pain unpleasantness. *J Pain*. 2008;9(9):784-91.

Maddock RJ, Garrett AS, Buonocore MH. Posterior cingulate cortex activation by emotional words: fMRI evidence from a valence decision task. *Hum Brain Mapp*. 2003;18(1):30-41.

Maddock RJ, Buonocore MH. Activation of the left posterior cingulate gyrus by the auditory presentation of threat-related words: an fMRI study. *Psychiatry Res*. 1997;75(1):1-14.

Maddock RJ. The retrosplenial cortex and emotion: new insights from functional neuroimaging of the human brain. *Trends Neurosci*. 1999;22(7):310-6.

Maddock RJ, Buonocore MH, Kile SJ, Garrett AS. Brain regions showing increased activation by threat-related words in panic disorder. *Neuroreport*. 2003;14(3):325-8.

Magerl W, Burkart D, Fernandez A, Schmidt LG, Treede RD. Persistent antinociception through repeated self-injury in patients with borderline personality disorder. *Pain*. 2012 ;153(3):575-84.

Marlowe N. Stressful events, appraisal, coping and recurrent headache. *J Clin Psychol*. 1998;54(2):247-56.

Marshall JC, Halligan PW, Fink GR et al. The functional anatomy of a hysterical paralysis. *Cognition*. 1997;64(1):B1-8.

Masten CL Eisenberger NI, Borofsky LA, Pfeifer JH, McNealy K, Mazziotta JC, Dapretto M. Neural correlates of social exclusion during adolescence: understanding the distress of peer rejection. *Soc Cogn Affect Neurosci*. 2009;4(2):143-57.

Matthews SC, Strigo IA, Simmons AN, Yang TT, Paulus MP. Decreased functional coupling of the amygdala and supragenual cingulate is related to increased depression in unmedicated individuals with current major depressive disorder. *J Affect Disord*. 2008;111(1):13-20.

Matthews SC, Simmons AN, Strigo IA, Arce E, Stein MB, Paulus MP. Escitalopram attenuates posterior cingulate activity during self-evaluation in healthy volunteers. *Psychiatry Res*. 2010;182(2):81-7.

Matthews S, Simmons A, Strigo I, Gianaros P, Yang T, Paulus M. Inhibition-related activity in subgenual cingulate is associated with symptom severity in major depression. *Psychiatry Res*. 2009 Apr 30;172(1):1-6.

Mayberg HS, Silva JA, Brannan SK, Tekell JL, Mahurin RK, McGinnis S et al. The functional neuroanatomy of the placebo effect. *Am J Psychiatry* 2002;159:728-37.

Mayberg HS, Liotti M, Brannan SK, McGinnis S, et al. Reciprocal limbic-cortical function and negative mood: converging PET findings in depression and normal sadness. *Am J Psychiatry*. 1999 May;156(5):675-82.

Mayer EA. The neural correlates of placebo effects: a disruption account. *Neuroimage*. 2004;22(1):447-55.

Menon V, Uddin LQ. Saliency, switching, attention and control: a network model of insula function. *Brain Struct Funct*. 2010 Jun;214(5-6):655-67.

Meseguer V, Romero MJ, Barrós-Loscertales A, Belloch V, Bosch-Morell F, Romero J, Avila C. Mapping the appetitive and aversive systems with emotional pictures using a block-design fMRI procedure. *Psicothema*. 2007;19(3):483-8.

Minzenberg MJ, Fan J, New AS, Tang CY, Siever LJ. Fronto-limbic dysfunction in response to facial emotion in borderline personality disorder: an event-related fMRI study. *Psychiatry Res*. 2007 Aug 15;155(3):231-43.

Mitchell JP, Heatherton TF, Kelley WM et al. Separating sustained from transient aspects of cognitive control during thought suppression. *Psychol Sci* 2007;18(4):292-7.

Mitchell DG, Nakic M, Fridberg D, Kamel N, Pine DS, Blair RJ. The impact of processing load on emotion. *Neuroimage*. 2007;34(3):1299-309.

Modinos G, Ormel J, Aleman A. Individual differences in dispositional mindfulness and brain activity involved in reappraisal of emotion. *Soc Cogn Affect Neurosci*. 2010;5(4):369-77.

Mohanty A, Engels AS, Herrington JD, Heller W, Ho MH, Banich MT, Webb AG, Warren SL, Miller GA. Differential engagement of anterior cingulate cortex subdivisions for cognitive and emotional function. *Psychophysiology*. 2007; 44(3):343-51.

Mollet GA, Harrison DW. Emotion and pain: a functional cerebral systems integration. *Neuropsychol Rev*. 2006;16(3):99-121.

Moses-Kolko EL, Perlman SB, Wisner KL, James J, Saul AT, Phillips ML. Abnormally reduced dorsomedial prefrontal cortical activity and effective connectivity with amygdala in response to negative emotional faces in postpartum depression. *Am J Psychiatry*. 2010;167(11):1373-80.

Niedtfeld I, Kirsch P, Schulze L, Herpertz SC, Bohus M, Schmahl C. Functional connectivity of pain-mediated affect regulation in Borderline Personality Disorder. *PLoS One*. 2012;7(3):e33293.

Nieuwenhuis IL, Takashima A. The role of the ventromedial prefrontal cortex in memory consolidation. *Behav Brain Res*. 2011;218(2):325-34.

Nili U, Goldberg H, Weizman A, Dudai Y. Fear thou not: activity of frontal and temporal circuits in moments of real-life courage. *Neuron*. 2010 Jun 24;66(6):949-62.

Nitschke JB, Nelson EE, Rusch BD, Fox AS, Oakes TR, Davidson RJ. Orbitofrontal cortex tracks positive mood in mothers viewing pictures of their newborn infants. *Neuroimage*. 2004;21(2):583-92.

Northoff G, Richter A, Gessner M et al. Functional dissociation between medial and lateral prefrontal cortical spatiotemporal activation in negative and positive emotions: a combined fMRI/MEG study. *Cereb Cortex*. 2000;10(1):93-107.

Ochsner KN, Bunge SA, Gross JJ, Gabrieli JD. Rethinking feelings : an FMRI study of the cognitive regulation of emotion. *J Cogn Neurosci*. 2002;14(8):1215-29.

Ochsner KN, Gross JJ. The cognitive control of emotion. *Trends Cogn Sci*. 2005 May;9(5):242-9. Review.

Ochsner KN, Knierim K, Ludlow DH et al. Reflecting upon feelings: an fMRI study of neural systems supporting the attribution of emotion to self and other. *J Cogn Neurosci*. 2004 Dec;16(10):1746-72.

Ochsner KN, Ray RD, Cooper JC et al. For better or for worse: neural systems supporting the cognitive down- and up-regulation of negative emotion. *Neuroimage*. 2004;23(2):483-99.

Ochsner KN, Ludlow DH, Knierim et al. Neural correlates of individual differences in pain-related fear and anxiety. *Pain* 2006;120:69-77.

Ochsner KN, Ray RR, Hughes B, et al. Bottom-up and top-down processes in emotion generation: common and distinct neural mechanisms. *Psychol Sci*. 2009 Nov;20(11):1322-31.

Ofek E, Pratt H. Neurophysiological correlates of subjective significance. *Clin Neurophysiol*. 2005;116(10):2354-62.

Ohira H, Isowa T, Nomura M et al. Imaging brain and immune association accompanying cognitive appraisal of an acute stressor. *Neuroimage*. 2008 ;39(1):500-14.

Ohira H, Nomura M, Ichikawa N et al. Association of neural and physiological responses during voluntary emotion suppression. *Neuroimage*. 2006;29(3):721-33.

Ohman A. The role of the amygdala in human fear: automatic detection of threat. *Psychoneuroendocrinology*. 2005;30(10):953-8.

Ongür D, Price JL. The organization of networks within the orbital and medial prefrontal cortex of rats, monkeys and humans. *Cereb Cortex*. 2000;10(3):206-19.

Palomero-Gallagher N, Mohlberg H, Zilles K, Vogt B. Cytology and receptor architecture of human anterior cingulate cortex. *Comp Neurol*. 2008;508(6):906-26.

Palomero-Gallagher N, Eickhoff SB, Hoffstaedter F, Schleicher A, Mohlberg H, Vogt BA, Amunts K, Zilles K. Functional organization of human subgenual cortical areas: Relationship between architectonical segregation and connectional heterogeneity. *Neuroimage*. 2015 Jul 15;115:177-90

Panksepp J. Feeling the pain of social loss. *Science* 2003;302:237-39.

Papez JW. A proposed mechanism of emotion. *Arch. Neurol.&Psychiat.* 1937;38:725-43.

Passarotti AM, Sweeney JA, Pavuluri MN. Neural correlates of incidental and directed facial emotion processing in adolescents and adults. *Soc Cogn Affect Neurosci.* 2009;4(4):387-98.

Peres JF, Foerster B, Santana LG et al. Police officers under attack: resilience implications of an fMRI study. *J Psychiatr Res.* 2011 ;45(6):727-34.

Perlman G, Simmons AN, Wu J, et al. Amygdala response and functional connectivity during emotion regulation: A study of 14 depressed adolescents. *J Affect Disord.* 2012 ;139(1):75-84.

Pessoa L, Kastner S, Ungerleider LG. Attentional control of the processing of neural and emotional stimuli. *Brain Res Cogn Brain Res.* 2002;15(1)31-45.

Phan KL, Fitzgerald DA, Nathan PJ et al. Neural substrates for voluntary suppression of negative affect: a functional magnetic resonance imaging study. *Biol Psychiatry* 2005;57(3):210-9.

Phan KL, Wager TD, Taylor SF, Liberzon I. Functional neuroimaging studies of human emotions. *Review CNS Spectr.* 2004 ;9(4):258-66.

Phan KL, Fitzgerald DA, Nathan PJ et al. Neural substrates for voluntary suppression of negative affect: a functional magnetic resonance imaging study. *Biol Psychiatry* 2005;57(3):210-9.

Phillips ML, Drevets WC, Rauch SL, Lane R. Neurobiology of emotion perception I: The neural basis of normal emotion perception. *Biol Psychiatry.* 2003;54(5):504-14.

Phillips ML et al. The effect of negative emotional context on neural and behavioral responses to oesophageal stimulation. *Brain* 2003;126:669-84.

Phillips ML, Medford N, Senior C et al. Depersonalization disorder: thinking without feeling. *Psychiatry Res.* 2001;108(3):145-60.

Phillips ML, Sierra M. Depersonalization disorder: a functional neuroanatomical perspective. *Stress.* 2003;6(3):157-65.

Phillips ML, Williams LM, Heining M, et al. Differential neural responses to overt and covert presentations of facial expressions of fear and disgust. *Neuroimage.* 2004 ;21(4):1484-96.

Pissioti A, Frans O, Michelgård A et al. Amygdala and anterior cingulate cortex activation during affective startle modulation: a PET study of fear. *Eur J Neurosci.* 2003;18(5):1325-31.

Quirk GJ, Likhtik E, Pelletier JG, Paré D. Stimulation of medial prefrontal cortex decreases the responsiveness of central amygdala output neurons. *J Neurosci.* 2003;23(25):8800-7.

Ramirez-Mahaluf JP , Perramon J, Otal B, Villoslada P, Compte A . Subgenual Anterior Cingulate Cortex Controls Sadness-Induced Modulations of Cognitive and Emotional Network Hubs. *Sci Rep,* 2018;8(1):8566.

Raz A, Lamar M, Buhle JT et al. Selective biasing of a specific bistable-figure percept involves fMRI signal changes in frontostriatal circuits: a step toward unlocking the neural correlates of top-down control and self-regulation. *Am J Clin Hypn.* 2007;50(2):137-56.

Reekum van CM, Urry HL, Johnstone T et al. Individual differences in amygdala and ventromedial prefrontal cortex activity are associated with evaluation speed and psychological well-being. *J Cogn Neurosci.* 2007;19(2):237-48.

Renna ME, Fresco DM, Mennin DS. Emotion Regulation Therapy and Its Potential Role in the Treatment of Chronic Stress-Related Pathology Across Disorders. *Chronic Stress (Thousand Oaks).* 2020 Feb13;4

Ressler KJ, Mayberg HS. Targeting abnormal neural circuits in mood and anxiety disorders: from the laboratory to the clinic. *Nat Neurosci.* 2007;10(9):1116-24.

Robinson MD, Vargas PT, Tamir M, Solberg EC. Using and being used by categories. The case of negative evaluations and daily well-being. *Psychol Sci.* 2004;15(8):521-6.

Roy M, Shohamy D, Wager TD. Ventromedial prefrontal-subcortical systems and the generation of affective meaning. *Trends Cogn Sci.* 2012;16(3):147-56.

Rubio A, Van Oudenhove L, Pellissier S, et al. Uncertainty in anticipation of uncomfortable rectal distension is modulated by the autonomic nervous system--a fMRI study in healthy volunteers. *Neuroimage* 2015;107:10-22.

Sakata H, Kim Y, Nejime M, Konoike N, Miyachi S, Nakamura K. Laminar Pattern of Projections Indicates the Hierarchical Organization of the Anterior Cingulate-Temporal Lobe Emotion System. *Front Neuroanat.* 2019 Jul 31;13:74.

Schlösser RG, Wagner G, Koch K, Dahnke R, Reichenbach JR, Sauer H. Fronto-cingulate effective connectivity in major depression: a study with fMRI and dynamic causal modeling. *Neuroimage*. 2008;43(3):645-55.

Segal ZV, Gemar M, Williams S. Differential cognitive response to a mood challenge following successful cognitive therapy or pharmacotherapy for unipolar depression. *J Abnorm Psychol*. 1999;108(1):3-10.

Shamay-Tsoory SG, Tomer R, Berger BD, Goldsher D, Aharon-Peretz J. Impaired "affective theory of mind" is associated with right ventromedial prefrontal damage. *Cogn Behav Neurol*. 2005;8(1):55-67.

Siegle GJ et al. Can't shake that feeling: event-related fMRI assessment of sustained amygdala activity in response to emotional information in depressed individuals. *Biol Psychiatry*. 2002;51(9):693-707.

Siegle GJ, Thompson W, Carter CS, Steinhauer SR, Thase ME. Increased amygdala and decreased dorsolateral prefrontal BOLD responses in unipolar depression: related and independent features. *Biol Psychiatry*. 2007;61(2):198-209.

Siegle GJ, Carter CS, Thase ME. Use of FMRI to predict recovery from unipolar depression with cognitive behavior therapy. *Am J Psychiatry*. 2006;163(4):735-8.

Sierra M, David AS. Depersonalization: a selective impairment of self-awareness. *Conscious Cogn*. 2011;20(1):99-108.

Silvers JA, McRae K, Gabrieli JD, et al. Age-related differences in emotional reactivity, regulation, and rejection sensitivity in adolescence. *Emotion*. 2012 Dec;12(6):1235-47.

Smith AP, Henson RN, Dolan RJ, Rugg MD. fMRI correlates of the episodic retrieval of emotional contexts. *Neuroimage*. 2004;22(2):868-78.

Stone J, Zeman A, Simonotto E et al. FMRI in patients with motor conversion symptoms and controls with simulated weakness. *Psychosom Med*. 2007;69(9):961-9.

Tawakol A, Ishai A, Takx RA, et al. Relation between resting amygdalar activity and cardiovascular events: a longitudinal and cohort study. *Lancet*. 2017 Feb 25;389(10071):834-845.

Taylor KS, Seminowicz DA, Davis KD. Two systems of resting state connectivity between the insula and cingulate cortex. *Hum Brain Mapp*. 2009;30(9):2731-45.

Van Tol MJ, Demenescu LR et al Zitman FG. Functional magnetic resonance imaging correlates of emotional word encoding and recognition in depression and anxiety disorders. *Biol Psychiatry*. 2012;71(7):593-602.

Villemure C, Bushnell MC. Mood influences supraspinal pain processing separately from attention. *J Neurosci*. 2009;29(3):705-15.

Villemure C, Slotnick BM, Bushnell MC. Effects of odors on pain perception: deciphering the roles of emotion and attention. *Pain*. 2003;106(1-2):101-8.

Vuilleumier P. Hysterical conversion and brain function. *Prog Brain Res*. 2005;150:309-29.

Vogt BA, Berger GR, Derbyshire SW. Structural and functional dichotomy of human midcingulate cortex. *Eur J Neurosci*. 2003;18(11):3134-44.

Vouimba RM, Maroun M. Learning-induced changes in mPFC-BLA connections after fear conditioning, extinction, and reinstatement of fear. *Neuropsychopharmacology*. 2011 ;36(11):2276-85.

Wager TD, Davidson ML, Hughes BL, Lindquist MA, Ochsner KN. Prefrontal-subcortical pathways mediating successful emotion regulation. *Neuron*. 2008;59(6):1037-50.

Wager TD, van Ast VA, Hughes BL, Davidson ML, Lindquist MA, Ochsner KN. Brain mediators of cardiovascular responses to social threat, part II: Prefrontal-subcortical pathways and relationship with anxiety. *Neuroimage* 2009;47(3):836-51.

Wang J, Rao H, Wetmore GS et al. Perfusion functional MRI reveals cerebral blood flow pattern under psychological stress. *Proc Natl Acad Sci U S A*. 2005 ;102(49):17804-9.

Whelton WJ. Emotional Processes in Psychotherapy: Evidence Across Therapeutic Modalities. *Clin. Psychol. Psychother*. 2004;11:58-71.

Williams LM, Liddell BJ, Kemp AH, et al. Amygdala-prefrontal dissociation of subliminal and supraliminal fear. *Hum Brain Mapp*. 2006;27(8):652-61.

Yang TT, Simmons AN, Matthews SC et al. Depressed adolescents demonstrate greater subgenual anterior cingulate activity. *Neuroreport*. 2009;20(4):440-4.

Yang TT, Simmons AN, Matthews SC et al. Adolescent subgenual anterior cingulate activity is related to harm avoidance. *Neuroreport*. 2009;20(1):19-23.

Yoshimura S, Okamoto Y, Onoda K, Matsunaga M, Ueda K, Suzuki S, Shigetoyamawaki. Rostral anterior cingulate cortex activity mediates the relationship between the depressive symptoms and the medial prefrontal cortex activity. *J Affect Disord*. 2010;122(1-2):76-85.

Yucel K, McKinnon MC, Chahal R, Taylor VH, Macdonald K, Joffe R, MacQueen GM. Anterior cingulate volumes in never-treated patients with major depressive disorder. *Neuropsychopharmacology*. 2008;33(13):3157-63.

Zahn R, Moll J, Paiva M, et al. The neural basis of human social values: evidence from functional MRI. *Cereb Cortex*. 2009 Feb;19(2):276-83.

## **Gevoel-Interoceptie-Insula**

Craig AD. How do you feel? Interoception: the sense of the physiological condition of the body. *Nature reviews* 2002;3:655-665.

Craig AD. How do you feel - now? The anterior insula and human awareness. *Nature reviews* 2009;10:59-70.

Critchley HD et al. Neural systems supporting interoceptive awareness. *Nature Neuroscience* 2004;7 (2):189-195.

Critchley HD. Neural mechanisms of autonomic, affective, and cognitive integration. *J Comp Neurol*. 2005;493(1):154-66. Review.

Critchley HD, Melmed RN, Featherstone E, Mathias CJ, Dolan RJ. Brain activity during biofeedback relaxation: a functional neuroimaging investigation. *Brain*. 2001;124(5):1003-12.

Critchley HD, Melmed RN, Featherstone E, Mathias CJ, Dolan RJ. Volitional control of autonomic arousal: a functional magnetic resonance study. *Neuroimage*. 2002 Aug;16(4):909-19.

Fan J, Gu X, Liu X et al. Involvement of the anterior cingulate and fronto-insular cortices in rapid processing of salient facial emotional information. *Neuroimage*. 2011 Feb 1;54(3):2539-46.

Gu X, Liu X, Van Dam NT, Hof PR, Fan J. Cognition-emotion integration in the anterior insular cortex. *Cereb Cortex*. 2013;23(1):20-7.

Kleckner IR, Zhang J, Touroutoglou A et al. Evidence for a Large-Scale Brain System Supporting Allostasis and Interoception in Humans. *Nat Hum Behav*. 2017;1. pii: 0069.

Menon V, Uddin LQ. Saliency, switching, attention and control: a network model of insula function. *Brain Struct Funct*. 2010 Jun;214(5-6):655-67.

## **Stress, HPA-as**

Cerqueira JJ, Mailliet F, Almeida OF et al. The prefrontal cortex as a key target of the maladaptive response to stress. *J Neurosci*. 2007;27(11):2781-7.

Dupin N, Mailliet F, Rocher C, Kessal K, Spedding M, Jay TM. Common efficacy of psychotropic drugs in restoring stress-induced impairment of prefrontal plasticity. *Neurotox Res*. 2006 Dec;10(3-4):193-8.

Henckens MJ, van Wingen GA, Joëls M, Fernández G. Corticosteroid modulation of prefrontal control. *Proc Natl Acad Sci USA*. 2011; 108(14):5801-6.

Jovanovic H, Perski A, Berglund H, Savic I. Chronic stress is linked to 5-HT(1A) receptor changes and functional disintegration of the limbic networks. *Neuroimage*. 2011;55(3):1178-88.

Kloet de ER. Stress: neurobiologisch perspectief. *Tijdschr Psychiatrie* 2009;51(8):541-50.

Kloet de ER, de Kloet SF, de Kloet CS, de Kloet AD. Top-down and bottom-up control of stress-coping. *J Neuroendocrinol*. 2019 Mar;31(3):e12675.

Marci CD, Glick DM, Loh R, Dougherty DD. Autonomic and prefrontal cortex responses to autobiographical recall of emotions. *Cogn Affect Behav Neurosci*. 2007;7(3):243-50.



McEwen BS. Protective and damaging effects of stress mediators: central role of the brain. Review. *Dialogues Clin Neurosci*. 2006;8(4):367-81.

Oitzl MS, Champagne DL, van der Veen R, de Kloet ER. Brain development under stress: hypotheses of glucocorticoid actions revisited. *Neurosci Biobehav Rev*. 2010;34(6):853-66.

Wang J, Rao H, Wetmore GS et al. Perfusion functional MRI reveals cerebral blood flow pattern under stress. *Proc Natl Acad Sci USA* 2005;102(49):17804-9.

## SOLK

Abbass A, Kisely S, Kroenke K. Short-term psychodynamic psychotherapy for somatic disorders. Systematic review and meta-analysis of clinical trials. *Psychother Psychosom*. 2009;78(5):265-74.

Abbass A, Campbell S, Magee K, Tarzwell R. Intensive short-term dynamic psychotherapy to reduce rates of emergency department return visits for patients with medically unexplained symptoms: preliminary evidence from a pre-post intervention study. *CJEM*. 2009;11(6):529-34.

Arnold IA, de Waal MW, Eekhof JA, van Hemert AM. Somatoform disorder in primary care: course and the need for cognitive-behavioral treatment. *Psychosomatics*. 2006;47(6):498-503.

Barry CA, Bradley CP, Britten N, Stevenson FA, Barber N. Patients' unvoiced agendas in general practice consultations: qualitative study. *BMJ*. 2000 May 6;320(7244):1246-50.

Barsky AJ. The paradox of health. *N Engl J Med*. 1988;318(7):414-8.

Barsky AJ, Borus JF. Functional somatic syndromes. Review. *Ann Intern Med*. 1999;130:910-21.

Barsky AJ, Orav EJ, Bates DW. Somatization increases medical utilization and costs independent of psychiatric and medical comorbidity. *Arch Gen Psychiatry*. 2005;62(8):903-10.

Beroepsprofiel Psychosomatisch oefentherapeut. 2010 Boom Lemma. ISBN 978905931601-0. Versteeg E, Meijer K, Klaver MM.

Beroepscompetentieprofiel psychosomatische fysiotherapie. NFP 0301BCP Psychosomatische fysiotherapeut – 22-2-2005 def. versie

Blankenstein AH. Somatising patients in general practice. Reattribution, a promising approach. Proefschrift. VU Amsterdam 2001.

Bleijenberg G. De ene vermoedheid is de andere niet, of toch wel? Afscheidsrede Radboud Universiteit Nijmegen. April 2012.

Boeft den M, Twisk JW, Terluin B et al. The association between medically unexplained physical symptoms and health care use over two years and the influence of depressive and anxiety disorders and personality traits: a longitudinal study. *BMC Health Serv Res*. 2016 Mar 22;16:100.

Bonvanie IJ, Janssens KAM, Rosmalen JGM, Oldehinkel AJ. Life events and functional somatic symptoms: A population study in older adolescents. *Br J Psychol*. 2016 May 25: 1-16.

Brinjikji W et al. Systematic Literature Review of Imaging Features of Spinal Degeneration in Asymptomatic Populations. *Am J Neurorad* 2015; 36:811–16.

Burger AJ, Lumley MA, Carty JN, et al. The effects of a novel psychological attribution and emotional awareness and expression therapy for chronic musculoskeletal pain: A preliminary, uncontrolled trial. *J Psychosom Res*. 2016 Feb;81:1-8.

Burgmer M, Pogatzki-Zahn E, Gaubitz M, Stüber C, Wessoleck E, Heuft G, Pfeleiderer B. Fibromyalgia unique temporal brain activation during experimental pain: a controlled fMRI Study. *J Neural Transm (Vienna)*. 2010 Jan;117(1):123-31.

Burton C. Beyond somatisation: a review of the understanding and treatment of medically unexplained physical symptoms (MUPS). *Br. J. Gen. Pract*. 2003;53:233-41.

Burton C, McGorm K, Richardson G, Weller D, Sharpe M. Healthcare costs incurred by patients repeatedly referred to secondary medical care with medically unexplained symptoms: a cost of illness study. *J Psychosom Res*. 2012 Mar;72(3):242-7.

Burton C, Lucassen P, Aamland A, olde Hartman TC. Op weg naar een ideale uitleg. *Huisarts Wet* 2015;58(9):468-70.

Carson AJ, Best S, Postma K, Stone J, Warlow C, Sharpe M. The outcome of neurology outpatients with medically unexplained symptoms: a prospective cohort study. *J Neurol Neurosurg Psychiatry*. 2003 Jul;74(7):897-900.

Caseras X, Mataix-Cols D, Giampietro V, et al. Probing the working memory system in chronic fatigue syndrome: a functional magnetic resonance imaging study using the n-back task. *Psychosom Med*. 2006;68(6):947-55.

Caseras X, Mataix-Cols D, Rimes KA, et al. The neural correlates of fatigue: an exploratory imaginal fatigue provocation study in chronic fatigue syndrome. *Psychol Med*. 2008 ;38(7):941-51.

Chaparro LE, Furlan AD, Deshpande A, et al. Opioids compared with placebo or other treatments for chronic low back pain: an update of the Cochrane Review. *Spine* 2014 Apr 1;39(7):556- 63.

Chavooshi B, Mohammadkhani P. A Randomized Double-Blind Controlled Trial Comparing Davanloo Intensive Short-Term Dynamic Psychotherapy as Internet-Delivered Vs Treatment as Usual for Medically Unexplained Pain: A 6-Month Pilot Study. *Psychosomatics*. 2016;57(3):292-300.

Chavooshi B, Mohammadkhani P, Dolatshahee B. Telemedicine vs. in-person delivery of intensive short-term dynamic psychotherapy for patients with medically unexplained pain: A 12-month randomized, controlled trial. *J Telemed Telecare*. 2017 Jan;23(1):133-141.

Het chronische –vermoedheidssyndroom. Gezondheidsraad. Den Haag. 2005.

Clerkin EM, Teachman BA, Smith-Janik SB. Sudden gains in group cognitive-behavioral therapy for panic disorder. *Behav Res Ther*. 2008;46(11):1244-50.

Cochrane Database Syst Rev. 2010 Dec 8;(12):CD006524. Consultation letters for medically unexplained physical symptoms in primary care. Hoedeman R, Blankenstein AH, van der Feltz-Cornelis CM, Krol B, Stewart R, Groothoff JW.

Cook DB, O'Connor PJ, Lange G, Steffener J. Functional neuroimaging correlates of mental fatigue induced by cognition among chronic fatigue syndrome patients and controls. *Neuroimage*. 2007 May 15;36(1):108-22.

Cooper A, Abbass A, Town J. Implementing a Psychotherapy Service for Medically Unexplained Symptoms in a Primary Care Setting. *J Clin Med*. 2017 Nov 29;6(12).

Crul-Kelderhuis J. De kracht van aandacht. *Medisch Contact* 2003;58(11):428-30.

Davidson RJ, Kabat-Zinn J et al. Alterations in brain and immune function produced by mindfulness meditation. *Psychosomatic Medicine* 2003;65:564-70.

Dessel van N, Boeft den M, Wouden van der JC, et al. Non-pharmacological interventions for somatoform disorders and medically unexplained physical symptoms (MUPS) in adults. *Cochrane Database Syst Rev*. 2014 Nov 1;(11):CD011142.

Duddu V, Husain N, Dickens C. Medically unexplained presentations and quality of life: a study of a predominantly South Asian primary care population in England. *J Psychosom Res*. 2008 Oct;65(4):311-7

Englund M, Guermazi A, Gale D, et al. Incidental meniscal findings on knee MRI in middle-aged and elderly persons. *NEJM* 2008;359(11):1108-15.

Escobar JI, Gara MA, Diaz-Martinez AM et al. Effectiveness of a time-limited cognitive behavior therapy type intervention among primary care patients with medically unexplained symptoms. *Ann Fam Med*. 2007 Jul-Aug;5(4):328-35.

Escobar JI, Golding JM, Hough RL et al. Somatization in the community: relationship to disability and use of services. *Am J Public Health*. 1987 Jul;77(7):837-40.

Gaskin DJ, Richard P. The economic costs of pain in the United States. *The Journal of Pain*. 2012;13 (8):715-24.

Gils van A, Burton C, Bos EH, Janssens KAM, Schoevers RA, Rosmalen J. Individual variation in temporal relationships between stress and functional somatic symptoms. *J Psychosom Res*. 2014;77:34-9.

Gini G, Pozzoli T. Association Between Bullying and Psychosomatic Problems: A Meta-analysis. *Pediatrics*. 2009;123(3):1059-65.

GGZ Zorgstandaard SOLK, Mei 2018.  
<https://www.ggzstandaarden.nl/zorgstandaarden/somatisch-onvoldoende-verklaarde-lichamelijke-klachten-solk>

Grabe HJ, Baumeister SE, John U, Freyberger HJ, Völzke H. Association of mental distress with health care utilization and costs: a 5-year observation in a general population. *Soc Psychiatry Psychiatr Epidemiol.* 2009 Oct;44(10):835-44.

Haller H, Cramer H et al. Somatoform disorders and medically unexplained symptoms in primary care: A systematic review and meta-analysis of prevalence. *Deutsches Ärzteblatt International.* 2015;112(16):279-87.

Hamilton J, Campos R, Creed F. Anxiety, depression and management of medically unexplained symptoms in medical clinics. *J R Coll Physicians Lond.* 1996 Jan-Feb;30(1):18-20.

Handboek behandeling van SOLK. ed.Spaans J. Lannoo Campus;2017. ISBN 9789401437493.

Handboek Somatisatie. Lichamelijk onverklaarde klachten in de eerste en tweede lijn. De Tijdstroom, Utrecht. 2003. ISBN 9058980367

Henningsen P. The body in the brain: towards a representational neurobiology of somatoform disorders. *Acta Neuropsychiatrica* 2003;15:157-60.

Heuvel van den SP, Buining EM, Berkel van DM, Wams HWA, Ravensberg van CD. De effecten van psychosomatische oefentherapie. Systematisch literatuuronderzoek en best evidence synthese. NPi/VvOCM, NPi uitgave;2010. ISBN 9789076986500.

Hilderink PH, Collard S, Rosmalen JGM, oude Voshaar RC. How does ageing affect the impact of medically unexplained symptoms and medically explained symptoms on health related quality of life? *Int J Geriatr Psychiatry* 2015; 30: 737–743.

Hiller W, Fichter MM, Rief W. A controlled treatment study of somatoform disorders including analysis of healthcare utilization and cost-effectiveness. *J Psychosom Res.* 2003;54(4):369-80.

Hornsveld HK, Garssen B, Dop MJ, Spiegel van PI, de Haes JC. Double-blind placebo-controlled study of the hyperventilation provocation test and the validity of the hyperventilation syndrome. *Lancet.* 1996;348(9021):154-8.

Horst van der HE. Somatisatie, een veelzijdig fenomeen. In *Handboek Somatisatie. Lichamelijk onverklaarde klachten in de eerste en tweede lijn.* De Tijdstroom, Utrecht. 2003. ISBN 9058980367.

Horst van der HE. Diagnostiek van somatisatie in de huisartsenpraktijk. In: van der Feltz C, van der Horst H. *Handboek Somatisatie. Lichamelijk onverklaarde klachten in de eerste en tweede lijn.* De Tijdstroom, Utrecht. 2003. ISBN 9058980367

Horst van der HE, Olde Hartman TC. Communiceren met patiënten met SOLK. *Kunst en kunde. Ned Tijdschr Geneeskd.* 2019;163: D2840.

Horst van der M, Lindeboom R, Lucas C. De aanwezigheid van psychische problematiek in de eerstelijns fysiotherapiepraktijk: een clusteranalyse. De prognostische waarde van de Vierdimensionale Klachtenlijst (4DKL). *Ned Tijdschr Fysiother* 2005;115(4):106-11.

Horst van der M, Terluin B, Lucas C. De invloed van depressie en angst in de eerstelijns fysiotherapiepraktijk. *Ned. Tijdschr Fysiother* 2007;117(1):15-22.

Houdenrove van B, Neerinckx E, Lysens R, et al. Victimization in chronic fatigue syndrome and fibromyalgia in tertiary care: a controlled study on prevalence and characteristics. *Psychosomatics* 2001 Jan-Feb;42(1):21-8.

Hsu MC, Schubiner H, Lumley MA, Stracks JS, Clauw DJ, Williams DA. Sustained pain reduction through affective self-awareness in fibromyalgia: a randomized controlled trial. *J Gen Intern Med.* 2010 Oct;25(10):1064-70.

Jackson JL, Passamonti M. The outcomes among patients presenting in primary care with a physical symptom at 5 years. *J Gen Intern Med.* 2005;20(11):1032-7.

Jensen MC, Brant-Zawadzki MN, Obuchowski N et al. Magnetic resonance imaging of the lumbar spine in people without back pain. *NEJM* 1994; 331(2): 69-73.

Johansson R, Town JM, Abbass A. Davanloo's Intensive Short-Term Dynamic Psychotherapy in a tertiary psychotherapy service: overall effectiveness and association between unlocking the unconscious and outcome. *PeerJ.* 2014 Aug 28;2:e548.

Jonas WB, Crawford C, Colloca L, et al. Are Invasive Procedures Effective for Chronic Pain? A Systematic Review. *Pain Med* 2019;20(7):1281-93.

Jong de JR, Vlaeyen JW, Onghena P, Cuypers C, den Hollander M, Ruijgrok J. Reduction of pain-related fear in complex regional pain syndrome type 1: the application of graded exposure in vivo. *Pain* 2005;116(3):264-75.

Kallmes DF, Comstock BA, Heagerty PJ, et al. A randomized trial of vertebroplasty for osteoporotic spinal fractures. *N Engl J Med*. 2009 Aug 6;361(6):569-79.

Katon WJ, Walker EA. Medically unexplained symptoms in primary care. *J Clin Psychiatry* 1998;59 Suppl 20:15-21.

Khan AA, Khan A, Harezlak J, Tu W, Kroenke K. Somatic Symptoms in Primary Care: Etiology and Outcome. *Psychosomatics* 2003; 44:471–478.

Kirkley A, Birmingham TB, Litchfield RB, et al. A Randomized trial of arthroscopic surgery for osteoarthritis of the knee. *NEJM* 2008;359(11):1097-107.

Klaver MM. Het effect van stressortherapie door psychosomatische therapeuten bij patiënten met SOLK. *Bewegreden* 2013;9(4):28-33.

Klaver MM. Hints naar de psychologische oorzaak van lichamelijke klachten. *Bewegreden* 2014;10(2):28-31.

Klaver-Król EG, Zwarts MJ, Ten Klooster PM, Rasker JJ. Abnormal muscle membrane function in fibromyalgia patients and its relationship to the number of tender points. *Clin Exp Rheumatol*. 2012 Nov-Dec;30(6 Suppl 74):44-50.

Klaver-Król EG, Rasker JJ, Henriquez NR, Verheijen WG, Zwarts MJ. Muscle fiber velocity and electromyographic signs of fatigue in fibromyalgia. *Muscle Nerve*. 2012 Nov;46(5):738-45.

Kleinstäuber M, Gottschalk J, Berking M, Rau J, Rief W. Enriching Cognitive Behavior Therapy with Emotion Regulation Training for Patients with Multiple Medically Unexplained Symptoms (ENCERT): Design and implementation of a multicenter, randomized, active-controlled trial. *Contemp Clin Trials*. 2015 Dec 4;47:54-63.

Kleinstäuber M, Allwang C, Bailer J, Berking M, et al. Cognitive Behaviour Therapy Complemented with Emotion Regulation Training for Patients with Persistent Physical Symptoms: A Randomised Clinical Trial. *Psychother Psychosom*. 2019;88(5):287-299.

Konnopka A, Schaefer R, Heinrich S et al. Economics of medically unexplained symptoms: a systematic review of the literature. *Psychother Psychosom*. 2012;81(5):265-75.

Kroenke K, Spitzer RL, Williams JB et al. Physical symptoms in primary care. Predictors of psychiatric disorders and functional impairment. *Arch Fam Med*. 1994;3(9):774-9.

Kroenke K, Mangelsdorff AD. Common symptoms in ambulatory care: incidence, evaluation, therapy, and outcome. *Am J Med*. 1989 Mar;86(3):262-6.

Lambert M. Implications of outcome research for psychotherapy integration. In JC Norcross & MR Goldfried, *Handbook of psychotherapy integration*. New York Basic. 1992.

Lange de FP, Kalkman JS, Bleijenberg G et al. Neural correlates of the chronic fatigue syndrome - an fMRI study. *Brain* 2004;127:1948-57.

Lange de FP, Kalkman JS, Bleijenberg G, et al. Gray matter volume reduction in the chronic fatigue syndrome. *Neuroimage*. 2005 Jul 1;26(3):777-81.

Lange de FP, Koers A, Kalkman JS et al Increase in prefrontal cortical volume following cognitive behavioural therapy in patients with chronic fatigue syndrome. *Brain*. 2008(Pt 8):2172-80.

Lian J, Mohamadi A, Chan JJ, et al. Comparative efficacy and safety of nonsurgical treatment options for enthesopathy of the extensor carpi radialis brevis: A Systematic review and meta-analysis of randomized placebo-controlled trials. *Am J Sports Med*. 2019 Oct;47(12):3019-3029.

Linden van der MW, Westert GP, Bakker de DH, Schellevis FG. Tweede nationale studie naar ziekten en verrichtingen in de huisartsenpraktijk. Klachten en aandoeningen in de bevolking en in de huisartsenpraktijk. Utrecht/Bilthoven: NIVEL/RIVM;2004.

Linton SJ. A review of psychological risk factors in back and neck pain. *Review Spine*. 2000;25(9):1148-56.

Lipowski ZJ. Somatization: the concept and its clinical application. *Review. Am J Psychiatry*. 1988;145(11):1358-68.

Looper KJ, Kirmayer LJ. Behavioral medicine approaches to somatoform disorders. *J Cons Clin Psychol*. 2002;70(3): 810-27.

Lorist MM, Boksem MA, Ridderinkhof KR. Impaired cognitive control and reduced cingulate activity during mental fatigue. *Brain Res Cogn Brain Res*. 2005 ;24(2):199-205.

Lumley MA, Cohen JL, Borszcz GS, et al. Pain and emotion: a biopsychosocial review of recent research. *J Clin Psychol*. 2011 Sep;67(9):942-68.

Lumley MA, Schubiner H, Lockhart NA, et al. Emotional awareness and expression therapy, cognitive behavioral therapy, and education for fibromyalgia: a cluster-randomized controlled trial. *Pain*. 2017 Dec;158(12):2354-2363.

Lumley MA, Schubiner H. Psychological Therapy for Centralized Pain: An Integrative Assessment and Treatment Model. *Psychosom Med*. 2019 Feb/Mar;81(2):114-124.

Lumley MA, Schubiner H. Emotional Awareness and Expression Therapy for Chronic Pain: Rationale, Principles and Techniques, Evidence, and Critical Review. *Curr Rheumatol Rep*. 2019 May 23;21(7):30.

Makkes NC, te Biesebeke E, Hoff JI, Verspui ME, van Gijn J. Klinische les. Samenwerken rond onverklaarde klachten. Van machteloosheid naar regie *Ned Tijdschr Geneesk* 2013;157:A5393.

Maksoud R, du Preez S, Eaton-Fitch N, et al. A systematic review of neurological impairments in myalgic encephalomyelitis/ chronic fatigue syndrome using neuroimaging techniques. *PLoS One*. 2020 Apr 30;15(4):e0232475.

Mast van der RC. Onverklaarde lichamelijke klachten: een omvangrijk probleem, maar nog weinig zichtbaar in opleiding en richtlijnen. *Ned Tijdschr Geneesk*. 2006;150:686-92.

Moss-Morris R, Sharon C, Tobin R, Baldi JC. A randomized controlled graded exercise trial for chronic fatigue syndrome: outcomes and mechanisms of change. *J Health Psychol*. 2005 ;10(2):245-59.

Multidisciplinaire richtlijn Somatisch Onvoldoende verklaarde Lichamelijke Klachten (SOLK) en Somatoforme stoornissen. 2010 Trimbos Instituut Utrecht. ISBN 9789052536996.

NHG-standaard Somatisch Onvoldoende verklaarde Lichamelijke Klachten (SOLK). *Huisarts Wet* 2013;56(5):222-30. Olde Hartman TC, et al.

Nicol AL, Sieberg CB, Clauw DJ, et al. The association between a history of lifetime traumatic events and pain severity, physical function, and affective distress in patients with chronic pain. *J Pain* 2016;17:1334-48.

Nimnuan C, Hotopf M, Wessely S. Medically unexplained symptoms: an epidemiological study in seven specialities. *J Psychosom Res*. 2001;51(1):361-7.

Noordman J et al. Weinig aandacht voor spanningen. *Huisarts pikt psychosociale signalen vaak niet op*. *Medisch Contact* 2007;62(48):1994-95.

Norcross JC, Hill CE. Compendium of empirically supported therapy relationships. In GP Koocher, JCNorcross and SS Hill (Eds). *Psychologists desk reference. Part III: Individual psychotherapy and treatment*. Oxford University Press. 2005

Olde Hartman TC. 'Well doctor, it all about how live is lived': cues as a tool in the medical consultation. *Ment Health Fam Med*. 2008;5:183-7.

Olde Hartman TC. Persistent medically unexplained symptoms in primary care. *Proefschrift*. Radboud Universiteit Nijmegen 2011 ISBN:9789491211997.

Olde Hartman TC, Hassink-Franke LJ, Lucassen PL, van Spaendonck KP, van Weel C. Explanation and relations. How do general practitioners deal with patients with persistent medically unexplained symptoms: a focus group study. *BMC Fam Pract*. 2009;10:68.

Olde Hartman TC, Borghuis MS, Lucassen PL, van de Laar FA, Speckens AE, van Weel C. Medically unexplained symptoms, somatisation disorder and hypochondriasis: course and prognosis. A systematic review. *J Psychosom Res*. 2009;66(5):363-77.

Olde Hartman TC, Ravesteijn van H, Lucassen P. Onverklaarde lichamelijke klachten. *Huisarts Wet* 2012;55(7): 301-05.

Oncü J, Başoğlu F, Kuran B. A comparison of impact of fatigue on cognitive, physical, and psychosocial status in patients with fibromyalgia and rheumatoid arthritis. *Rheumatol Int*. 2013 Dec;33(12):3031-7.

Ovayolu N, Ovayolu O, Karadag G. Health-related quality of life in ankylosing spondylitis, fibromyalgia syndrome, and rheumatoid arthritis: a comparison with a selected sample of healthy individuals. *Clin Rheumatol*. 2011 May;30(5):655-64.

Pennebaker JW. The effects of traumatic disclosure on physical and mental health: the values of writing and talking about upsetting events. *Int J Emerg Ment Health* 1999;1(1):9-18.

Piccinni A, Bazzichi L, Marazziti D, et al. Subthreshold mood symptoms in patients with fibromyalgia and rheumatoid arthritis. *Clin Exp Rheumatol*. 2011 ;29(6 Suppl 69):S55-9.

Ravensberg van D, Berkel van L, Heuvel van den S, Buining M, Wams R. Minder medicijngebruik, minder arbeidsverzuim, minder klachten. *Beweegreden* 2011 maart;7(1):17-20.

Ravenzwaaij van J, Olde Hartman TC, van Ravesteijn H, et al. Explanatory Models of Medically Unexplained Symptoms: A Qualitative Analysis of the Literature. *Ment Health Fam Med*. 2010 Dec;7(4):223-31.

Reid S, Wessely S, Crayford T, Hotopf M. Frequent attenders with medically unexplained symptoms: service use and costs in secondary care. *Br J Psychiatry*. 2002 Mar;180:248-53.

Renna ME, Fresco DM, Mennin DS. Emotion Regulation Therapy and Its Potential Role in the Treatment of Chronic Stress-Related Pathology Across Disorders. *Chronic Stress (Thousand Oaks)*. 2020 Feb13;4

Resnik L, Jensen GM. Using Clinical Outcomes to Explore the Theory of Expert Practice in Physical Therapy *Physical Therapy* 2003;83 (12):1090-1106.

RIVM 2011 en Prof. Dr. Judith Rosmalen, Hoogleraar Psychosomatiek, Rijksuniversiteit Groningen, Brochure "SOLK, Professionals aan het woord", uitgave Proscop

Rood van YR, Goulmy E, Diekstra RAF. Psychoneuro-immunologie: dwarsverbanden tussen 'autonome' systemen. *Ned Tijdschr Geneeskd* 1989;133(21):1069-72.

Sachs-Ericsson NJ, Sheffler JL, et al. When emotional pain becomes physical: Adverse childhood experiences, pain, and the role of mood and anxiety disorders. *J Clin Psych*. 2017;73(10):1403-1428.

Salmon P, Dowrick CF, Ring A, Humphris GM. Voiced but unheard agendas: qualitative analysis of the psychosocial cues that patients with unexplained symptoms present to general practitioners. *Br J Gen Pract*. 2004 Mar; 54(500):171-6.

Seres G, Kovács Z, Kovács A, et al. Different associations of health related quality of life with pain, psychological distress and coping strategies in patients with irritable bowel syndrome and inflammatory bowel disorder. *Clin Psychol Med Settings*. 2008.

Schenk HM, Bos EH, Slaets JPJ, Jonge P, Rosmalen JGM. Differential association between affect and somatic symptoms at the between- and within-individual level. *Br J Health Psychol*. 2017; 22: 270–280.

Schilte AF, Portegijs PJM, Blankenstein AH, van der Horst HE, Latour MBF, van EijkJTM, Knottnerus JA Randomised controlled trial of disclosure of emotionally important events in somatisation in primary care. *BMJ* 2001;323:1-6.

Silvis ML, Mosher TJ, Smetana BS, et al. High prevalence of pelvic and hip magnetic resonance imaging findings in asymptomatic collegiate and professional hockey players. *Am J Sports Med*. 2011 Apr;39(4):715-21.

Simotas AC, Shen T. Neck pain in demolition derby drivers. *Arch Phys Med Rehabil*. 2005 Apr;86(4) :693-6.

Sitnikova K, Pret-Oskam R, Dijkstra-Kersten SMA, et al. Management of patients with persistent medically unexplained symptoms: a descriptive study. *BMC Fam Pract*. 2018;19(1):1-9.

Smith GR. The course of somatization and its effects on utilization of health care resources. *Psychosomatics*. 1994 May-Jun;35(3):263-7.

Snijders TJ, de Leeuw FE, Klumpers UM, Kappelle LJ, van Gijn J. Prevalence and predictors of unexplained neurological symptoms in an academic neurology outpatient clinic--an observational study. *J Neurol*. 2004 ;251(1):66-71.

Spaendonck KPM van, Bleijenberg G, Wollersheim H, Keijser K. Cursus interactieve consultvoering voor arts-assistenten. *Gezond Onderwijs* 1998; 7: 287-8.

Speckens AEM., van Hemert AM, Spinhoven P et al. (1995). Cognitive behavioural therapy for medically unexplained physical symptoms: A randomised controlled trial. *BMJ*. 1995;311:1328–1332.

Stone J, Carson A, Duncan R et al. Symptoms 'unexplained by organic disease' in 1144 new neurology out-patients: how often does the diagnosis change at follow-up? *Brain* 2009; 132(10):2878-88.

Tak LM, Rosmalen JGM. Dysfunction of stress responsive systems as a risk factor for functional somatic syndromes. *J Psychosom Res.* 2010;68(5):461-8.

Tak L, Bax-aan de Stegge B. Onverklaarde klachten eerder benoemen. *Medisch Contact* 11 dec. 2014, 2530-31.

Terluin B. De Vierdimensionale Klachtenlijst (4DKL). Een vragenlijst voor het meten van distress, depressie, angst en somatisatie. *Huisarts Wet* 1996;39(12):538-47.

Terpstra T, Gol JM, Lucassen P et al. Explanations for Medically Unexplained Symptoms: A Qualitative Study on GPs in Daily Practice Consultations. *Fam Pract.* 2020;37(1):124-130.

Town JM, Lomax V, Abbass AA, Hardy G. The role of emotion in psychotherapeutic change for medically unexplained symptoms. *Psychother Res.* 2019 Jan;29(1):86-98.

Traeger AC, Lee H, Hubscher M, et al. Effect of Intensive Patient Education vs Placebo Patient Education on Outcomes in Patients With Acute Low Back Pain. A Randomized Clinical Trial. *JAMA Neurol.* 2019;76(2):161-69.

Trijsburg RW. Therapeutische factoren en interventies. In Colijn S, Snijders JA, Trijsburg RW (Red), *Leerboek integratieve psychotherapie*. Utrecht De Tijdstroom. 2003.

Turk DC, Okifuji A. Psychological factors in chronic pain: evolution and revolution. *J Consult Clin Psychol.* 2002 Jun;70(3):678-90. Review.

Verhaak PFM, Meijer SA, Visser AP and Wolters G. Persistent presentation of medically unexplained symptoms in general practice. *Family Practice* 2006; 23: 414–420.

Verhaak, P.F. Onverklaarde chronische klachten: definitie en omvang. *TSG* 2004;82(6):350-7.

Verheij RA (NIVEL), Schellevis FC (NIVEL), Hingstman L (NIVEL), Bakker DH de (NIVEL). Hoe vaak en waarvoor verwijzen huisartsen door? *RIVM* 2006

Versteeg E. Stressgerelateerde klachten en psychosomatische fysio- en oefentherapie. *TBV* 2005;13(12):372-4.

Versteeg E. SOLK verdient diagnostiek en behandeling van de psychosociale oorzaak. Een wetenschappelijk essay. *Beweegreden.* 2014;10(1):24-29.

Vuilleumier P, Chicherio C, Assal F et al. Functional neuroanatomical correlates of hysterical sensorimotor loss. *Brain* 2001; 124: 1077-90.

Wessely S, Nimnuan C, Sharp M. Functional somatic syndromes: one or many? *The Lancet* 1999;354:936-9.

Werring DJ, Weston L, Bullmore ET, Plant GT, Ron MA. Functional magnetic resonance imaging of the cerebral response to visual stimulation in medically unexplained visual loss. *Psychol Med.* 2004 ;34(4):583-9.

Wiborg JF, Knoop H, Prins JB, Bleijenberg G. Does a decrease in avoidance behavior and focusing on fatigue mediate the effect of cognitive behavior therapy for chronic fatigue syndrome? *J Psychosom Res.* 2011;70(4):306-10.

Wiborg JF, Knoop H, Frank LE, Bleijenberg G. Towards an evidence-based treatment model for cognitive behavioral interventions focusing on chronic fatigue syndrome. *J Psychosom Res.* 2012;72(5):399-404.

Wiborg JF, Knoop H, Stulemeijer M, Prins JB, Bleijenberg G. How does cognitive behaviour therapy reduce fatigue in patients with chronic fatigue syndrome? The role of physical activity. *Psychol Med.* 2010;40(8):1281-7.

Williams ER, Guthrie E, Mackway-Jones K, et al. Psychiatric status, somatisation, and health care utilization of frequent attenders at the emergency department: a comparison with routine attenders. *J Psychosom Res.* 2001 Mar;50(3):161-7.

White PD, Goldsmith KA, Johnson AL et al. Comparison of adaptive pacing therapy, cognitive behaviour therapy, graded exercise therapy, and specialist medical care for chronic fatigue syndrome (PACE): a randomised trial. *Lancet* 2011;377(9768):823-36.

You DS, Meagher MW. Childhood adversity and pain sensitization. *Psychosom Med.* 2016;78:1084-1093.

Zonneveld LN, Sprangers MA, Kooiman CG, van 't Spijker A, Busschbach JJ. Patients with unexplained physical symptoms have poorer quality of life and higher costs than other patient groups: a cross-sectional study on burden. *BMC Health Serv Res.* 2013;13:520.  
Zorgstandaard Chronische Pijn – versie 28-03-2017. De Dutch Pain Society (DPS) en het Samenwerkingsverband Pijnpatiënten naar één stem (SWP)  
<https://www.pijnpatientennaar1stem.nl/zorgstandaard/patientversie-zorgstandaard/>